

MILLWORK

MORSE SASH AND DOOR CO.

ROCHESTER, N. Y.

M I L L W O R K

Doors, Windows, Frames
Stair Work, Porch Material
Exterior & Interior Moulding

Catalogue No. 20

MORSE SASH & DOOR CO.

ROCHESTER, N. Y.

INTRODUCTORY

In presenting this Catalog of READY TO USE MILLWORK we have endeavored to feature only such units that are regularly coming before the trade; that are constantly being called for, and that can be forwarded to you promptly.

Our READY TO USE MILLWORK includes standardized Moulding for both exterior and interior house work and are all of superior quality, thoroughly seasoned and kiln dried stock of high grade workmanship.


We show on pages 3 and 32 illustrations of a number of houses supplied complete with our READY TO USE MILLWORK. We make one shipment of trim for the entire house. No waiting for goods to be manufactured.

Let this Book be your Standard


Morse Sash

High Class
Mill Work

& Door Co.



Morse Sash High Class Mill Work & Door Co.




Our Short Order Millwork, shown above, allows us to quickly get out odd stock and assembling odd units for quick shipment.

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 405

PLAIN RED OAK, CHESTNUT & RED GUM

	Glass Size
2- 8 x 6-8-1 $\frac{3}{4}$	18 x 54
2-10 x 6-8-1 $\frac{3}{4}$	20 x 54
3- 0 x 6-8-1 $\frac{3}{4}$	22 x 54
2- 8 x 7-0-1 $\frac{3}{4}$	18 x 58
2-10 x 7-0-1 $\frac{3}{4}$	20 x 58
3- 0 x 7-0-1 $\frac{3}{4}$	22 x 58

Genuine Polished Bevel Plate set Watertight.


Ask your dealer for prices

X

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 407

PLAIN RED OAK

	Glass Size
2- 8 x 6-8-13/4	18 x 42
2-10 x 6-8-13/4	20 x 42
3- 0 x 6-8-13/4	22 x 42
2- 8 x 7-0-13/4	18 x 46
2-10 x 7-0-13/4	20 x 46
3- 0 x 7-0-13/4	22 x 46


We use only Genuine Polished Bevel Plate.

Ask your dealer for prices

Morse Sash

Ready to use
Mill Work

& Door Co.



Design No. 422

PLAIN RED OAK

STOCK SIZES

2-8 x 7-0-1 $\frac{3}{4}$

2-10 x 7-0-1 $\frac{3}{4}$

3-0 x 7-0-1 $\frac{3}{4}$


Glazed with Genuine Polished Bevel Plate.

We do not use substitutes.

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work



Design No. 409

PLAIN RED OAK

STOCK SIZES

2-8 x 7-0-13/4

2-10 x 7-0-13/4

3-0 x 7-0-13/4

Glazed with Genuine Polished Bevel Plate.


We do not use substitutes.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 1078

PLAIN RED OAK

STOCK SIZES


	Glass Size
2- 6 x 6-8-1 $\frac{3}{4}$	20 x 32
2- 8 x 6-8- "	22 x 32
2-10 x 6-8- "	24 x 32
3- 0 x 6-8- "	26 x 32
2- 6 x 7-0- "	20 x 36
2- 8 x 7-0- "	22 x 36
2-10 x 7-0- "	24 x 36
3- 0 x 7-0- "	26 x 36

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 1070

PLAIN RED OAK

STOCK SIZES

	Glass Size
2- 6 x 6-8-1 $\frac{3}{4}$	20 x 36
2- 8 x 6-8- "	22 x 36
2- 6 x 7-0- "	20 x 40
2- 8 x 7-0- "	22 x 40
2-10 x 7-0- "	24 x 40
3- 0 x 7-0- "	26 x 40

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 367

PLAIN OAK, RED GUM AND CHESTNUT

STOCK SIZES

2- 6 x 7-0-1 $\frac{3}{4}$

2- 8 x 7-0- "


2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work



Design No. 318

PLAIN RED OAK AND RED GUM

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 366

PLAIN OAK, CHESTNUT AND RED GUM

STOCK SIZES

2- 8 x 7-0-1 $\frac{3}{4}$

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash · **High Class
Mill Work** · & Door Co.



Design No. 180-B

PLAIN OAK AND RED GUM

STOCK SIZES

2- 8 x 7-0-1 $\frac{3}{4}$

2-10 x 7-0- "


3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 236-S

PLAIN OAK AND OTHER WOODS

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$


2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash High Class Mill Work & Door Co.



Design No. 153 $\frac{1}{2}$

PLAIN OAK, CHESTNUT AND RED GUM

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work



Design No. 435

PLAIN OAK, RED GUM AND CHESTNUT

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash **High Class
Mill Work** & Door Co.



Design No. 415

PLAIN OAK AND RED GUM

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 425

PLAIN RED OAK AND RED GUM

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices

Morse Sash **High Class
Mill Work** & Door Co.



Design No. 445

PLAIN RED OAK, CHESTNUT AND RED GUM

STOCK SIZES

2- 8 x 6-8-1 $\frac{3}{4}$

2- 8 x 7-0- "

2-10 x 7-0- "

3- 0 x 7-0- "

Ask your dealer for prices


Morse Sash

High Class
Mill Work

& Door Co.



Design No. 407



Design No. 405

SIDE LIGHTS

Plain Red Oak Only

	Glass Size No. 405
1-0 x 7-0-1 $\frac{3}{8}$	6 x 46
1-2 x 7-0- "	8 x 46
1-4 x 7-0- "	10 x 46
1-6 x 7-0- "	12 x 46


We use only Genuine Polished Bevel Plate Glass.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 77

PINE FRONT DOORS

	Glass Size		Glass Size
2- 6 x 6-6-1 $\frac{3}{4}$	20 x 28	2- 6 x 7-0-1 $\frac{3}{4}$	20 x 34
2- 6 x 6-8- "	20 x 30	2- 8 x 7-0- "	22 x 34
2- 8 x 6-8- "	22 x 30	2-10 x 7-0- "	24 x 34
2-10 x 6-8- "	24 x 30	3- 0 x 7-0- "	26 x 34
3- 0 x 6-8- "	26 x 30		

Also carried in 1 $\frac{3}{8}$ " thick.

No. 1 Pine, Raised Panels. B. & C. Sticking. Wide Stiles.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 78

PINE FRONT DOORS

	Glass Size		Glass Size
2- 6 x 6-6-1 $\frac{3}{4}$	20 x 28	2- 6 x 7-0-1 $\frac{3}{4}$	20 x 34
2- 6 x 6-8- "	20 x 30	2- 8 x 7-0- "	22 x 34
2- 8 x 6-0- "	22 x 30	2-10 x 7-0- "	24 x 34
2-10 x 6-8- "	24 x 30	3- 0 x 7-0- "	26 x 34
3- 0 x 6-8- "	26 x 30		

No. 1 Pine, Flat Panels. B. & C. Sticking. Wide Stiles.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 175

PINE FRONT DOORS

	Glass Size
2- 8 x 6-8-1 $\frac{3}{8}$	22 x 40
2- 8 x 7-0- "	22 x 44
2-10 x 7-0- "	24 x 44
3- 0 x 7-0- "	26 x 44

No. 1 Pine. B. & C. Sticking. Raised Panels. Wide Stiles.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



GARAGE DOORS

Single Door 4-0 x 8-0-1 $\frac{3}{4}$

In Pairs Opening 8-0 x 8-0

Carried in White Pine or Yellow Fir.

Glass secured with Wood Stops.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 402

STOCK SIZES

2-0 x 6-8-1 $\frac{3}{4}$	2- 2 x 7-0-1 $\frac{3}{4}$
2-2 x 6-8- "	2- 4 x 7-0- "
2-4 x 6-8- "	2- 6 x 7-0- "
2-6 x 6-8- "	2- 8 x 7-0- "
2-8 x 6-8- "	2-10 x 7-0- "
2-0 x 7-0- "	3- 0 x 7-0- "

Plain Red Oak and Select Red Gum in stock.


Unselected Birch on short notice.

Stiles 5 $\frac{1}{2}$ inches. Bottom Rail 16 inches.

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work



Design No. 381

STOCK SIZES

2-0 x 6-8-1 $\frac{3}{8}$	2- 2 x 7-0-1 $\frac{3}{8}$
2-2 x 6-8- "	2- 4 x 7-0- "
2-4 x 6-8- "	2- 6 x 7-0- "
2-6 x 6-8- "	2- 8 x 7-0- "
2-8 x 6-8- "	2-10 x 7-0- "
2-0 x 7-0- "	3- 0 x 7-0- "

Plain Red Oak in stock. Unselected Birch on short notice.


Door 1 $\frac{3}{4}$ inches thick furnished on short notice.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 480

STOCK SIZES

2-0 x 6-8-1 $\frac{3}{8}$	2- 2 x 7-0-1 $\frac{3}{8}$
2-2 x 6-8- "	2- 4 x 7-0- "
2-4 x 6-8- "	2- 6 x 7-0- "
2-6 x 6-8- "	2- 8 x 7-0- "
2-8 x 6-8- "	2-10 x 7-0- "
2-0 x 7-0- "	3-0 x 7-0- "

Plain Red Oak and Selected Red Gum in stock.

Unselected Birch on short notice.

Doors 1 $\frac{3}{4}$ inches thick furnished on short notice.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 150
STOCK SIZES

2-0 x 6-6	2- 8 x 6-8
2-2 x 6-6	2- 0 x 7-0
2-4 x 6-6	2- 2 x 7-0
2-6 x 6-6	2- 4 x 7-0
2-8 x 6-8	2- 6 x 7-0
2-0 x 6-8	2- 8 x 7-0
2-2 x 6-8	2-10 x 7-0
2-4 x 6-8	3- 0 x 7-0
2-6 x 6-8	

Plain Red Oak and Chestnut in stock. Unselected Birch on short notice.

Doors $1\frac{3}{4}$ inches thick furnished on short notice.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 185

SANITARY OR SLAB DOORS

Selected Rotary Cut Veneers.

Plain Red Oak, Red Gum and Unselected Birch.

Made to order only in all regular sizes and only $1\frac{3}{4}$ inches thick.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Design No. 381

YELLOW FIR DOOR

With Wide Veneered Stiles, Rails and Flat Laminated Panels.

Above Door can be supplied in One Panel, Two Vertical and One Cross Panel, and Reversed Panels.

Stocked in all regular sizes.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Morse Sash

High Class
Mill Work

& Door Co.



Design No. 30

These Newels carried in
Plain Oak

Angle Newel of proper
Length to match
Shaft, 6 x 6 inches

Length
not including cap
4 feet



Design No. 35

NEWELS

Ask your dealer for prices

NEWELS

STARTING




Design No. 97

Shaft
6 x 6 inches

Base
18 inches

Length
4 ft. 0 in.
not including
cap

ANGLE



Design No. 97 A

Shaft
5 x 5 inches

Length
5 ft. 6 in.
not including
cap or
drop

Carried in Plain Oak

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.

NEWELS

STARTING




Design No. 92

Shaft
6 x 6 inches

Base
18 inches

Length
4 ft. 0 in.
not including
cap

ANGLE



Design No. 92A

Shaft
5 x 5 inches

Length
5 ft. 6 in.
not including
cap or
drop

Carried in Plain Oak

Ask your dealer for prices


Morse Sash

High Class
Mill Work

& Door Co.

BULL NOSED TREADS AND RISERS

Both Right and Left Hand



Design No. 271



Design No. 272

Carried in Plain Oak

OAK STAIR TREADS

The following sizes in stock:

$1\frac{1}{8}$ x $10\frac{1}{2}$ in. x 3 ft.	$1\frac{1}{8}$ x $11\frac{1}{2}$ in. x 3 ft.
$1\frac{1}{8}$ x $10\frac{1}{2}$ in. x 3 ft. 6 in.	$1\frac{1}{8}$ x $11\frac{1}{2}$ in. x 3 ft. 6 in.
$1\frac{1}{8}$ x $10\frac{1}{2}$ in. x 4 ft.	$1\frac{1}{8}$ x $11\frac{1}{2}$ in. x 4 ft.

Risers carried in Plain Oak and Chestnut

SQUARE STAIR BALUSTERS

In Oak, Chestnut, Fir and Gum

$1\frac{1}{8}$ x $1\frac{1}{8}$ x 26

TURNED STAIR BALUSTERS

In Oak Only


$1\frac{3}{8}$ x 26	$1\frac{3}{8}$ x 28	$1\frac{3}{8}$ x 32
$1\frac{3}{4}$ x 26	$1\frac{3}{4}$ x 28	$1\frac{3}{4}$ x 32

Ask your dealer for prices


Morse Sash

High Class
Mill Work

& Door Co.



STAIR RAIL — Oak Only



STAIR RAIL — Red Gum Only

Ask your dealer for prices

STANDARD PATTERN PORCH COLUMNS

No. 61

In Stock:

4 x 4 inches, 8 feet	5 x 5 inches, 9 feet
4 x 4 inches, 9 feet	6 x 6 inches, 8 feet
5 x 5 inches, 8 feet	6 x 6 inches, 9 feet

No. 1 Fir



Design
No. 61

PORCH NEWELS

No. 62

4 x 4 inches, 4 feet	5 x 5 inches, 4 feet
6 x 6 inches, 4 feet	

No. 1 Fir



Design
No. 62

STUB POSTS

No. 63

4 x 4 inches, 4 feet	5 x 5 inches, 4 feet
6 x 6 inches, 4 feet	

No. 1 Fir



Design
No. 63

Ask your dealer for prices

Morse Sash

Ready to use
Mill Work

& Door Co.

No. 1 PINE COLONIAL COLUMN

We carry only a No. 1 Pine Column.

1½-inch staves, plain cap, three member base.

In Stock:

6 inches diameter, 8-0
8 " " 6-0
8 " " 8-0
8 " " 9-0
10 " " 8-0
10 " " 9-0
12 " " 8-0



Design
No. 60

PORCH BALUSTERS

1¾ x 24 Redwood

We also carry Colonial Newels to match
No. 60 Column in Pine.






Design
No. 72

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work

FIR PORCH RAIL




Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.

MEDICINE CABINET



In the white, no hardware. Put up complete with mirror.

Carried in Oak, Chestnut and Whitewood.

Inside measurement, 18 x 25 inches, $3\frac{3}{16}$ inches deep.

Outside measurement of space necessary to set in wall, 20 x 27 inches,
 $4\frac{3}{8}$ inches deep.

Size of mirror, 14 x 20 inches.

DRESSER DRAWERS

Chestnut Front

18 x 8 x 16 inches deep.

24 x 8 x 16 inches deep.

24 x 6 x 16 inches deep.

24 x 8 x 16 inches deep.

Pine Front

24 x 6 x 16 inches deep.

24 x 8 x 16 inches deep.

24 x 8 x 16 inches deep.

Oak Front

24 x 6 x 16 inches deep.


24 x 8 x 16 inches deep.

24 x 8 x 16 inches deep.

All Lip Fronts.

Ask your dealer for prices

PANTRY WORK



Design No. 71

Glazed Cupboard Doors

1-4 x 4-0	$\frac{7}{8}$	2 light Glazed	S. S.	Chestnut
1-6 x 4-0	" 2	"	"	"
1-8 x 4-0	" 2	"	"	"
1-6 x 4-0	" 2	"	"	Oak
1-8 x 4-0	" 2	"	"	"
1-6 x 4-0	" 2	"	"	Pine
1-8 x 4-0	" 2	"	"	"
1-6 x 4-6	" 2	"	"	"
1-8 x 4-6	" 2	"	"	"



Design No. 83

Panel Cupboard Doors

1-2 x 2-6	$\frac{7}{8}$	2 X Panel	Chestnut
1-4 x 2-6	" 2	"	"
1-6 x 2-6	" 2	"	"
1-8 x 2-6	" 2	"	"
1-4 x 4-0	" 4	"	"
1-6 x 4-0	" 4	"	"
1-8 x 4-0	" 4	"	"
1-6 x 2-6	" 2	"	Oak
1-8 x 2-6	" 2	"	"
1-6 x 4-0	" 4	"	"
1-8 x 4-0	" 4	"	"
1-6 x 2-6	" 2	"	Pine
1-8 x 2-6	" 2	"	"
1-6 x 4-0	" 4	"	"
1-8 x 4-0	" 4	"	"



Design No. 103

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.




FLOUR BINS

Size, 1 foot 6 inches x 2 feet 6 inches face; 1 foot 4 inches deep.
Carried in Oak, Chestnut and Pine.



MILK DOOR

1-0 x 1-2-1 $\frac{1}{8}$ 1 Panel, Pine
1-0 x 1-2- $\frac{7}{8}$ 1 " Chestnut



Design No. 73


ICE BOX DOORS

2- 0 x 2-0-1 $\frac{1}{8}$ 2 Panel, Pine
1- 8 x 2-0- " 2 " "
1-10 x 2-2- " 2 " "

BROOM CLOSET DOOR

1-2 x 5-8- $\frac{7}{8}$ 3 X Panel, Chestnut

Ask your dealer for prices




Design No. 72

Design No. 74

Morse Sash

High Class
Mill Work

& Door Co.



INTERIOR COLONIAL COLUMNS

(With Pedestal)

6 x 6 columns, 6 feet over all.

Pedestal, 2 feet 3 inches wide and 2 feet high.

Can be made to fit $5\frac{1}{8}$ to $7\frac{1}{2}$ jamb.


In Plain Oak and Chestnut.

Ask your dealer for prices

POINTS OF ADVANTAGE OF OUR HIGH GRADE WINDOW AND DOOR FRAME

All exposed parts of our window frames are made of Northern white pine and are clear face. This includes the outside casing, drip cap, mouldings, blind stop and sill. The pulley stiles are made of soft, dry Arkansas short leaf yellow pine, absolutely clear and free from stain. The outside casing is cut to exact length and bevel. The blind stop and parting stop are nailed on to the pulley stile, so that you can put one of our frames together in about ten minutes.

Our pulleys are lacquered $4\frac{1}{2}$ inch face with 2 inch wheel and fastened in with screws.



Head and Sill Bundle

The sill, head casing and head jamb, complete with stops, for one frame are in a bundle which is termed "*Head and Sill Bundle.*"




Side Bundle

The side casing and side jambs complete with stops and pulleys set in place for one frame are in the "*Side Bundle.*"

We carry a full line of door frames rabbeted for both $1\frac{3}{4}$ inch and $1\frac{3}{8}$ inch doors, with oak sills and clear face Northern white pine jambs and outside casing.

Our cellar frames are made out of $1\frac{3}{4}$ inch stock, jambs $5\frac{1}{2}$ inch with $1\frac{1}{8}$ inch outside casing of sound knotted Northern white pine.

Ask your dealer for prices



KNOCK-DOWN WINDOW FRAMES

The above is the detail for our regular two light window frame. Pockets cut and screwed in. Pulleys furnished and set with screws. Total width of jamb $5\frac{3}{8}$ inches over all.

Door frames to correspond, with jambs $1\frac{1}{8} \times 5\frac{3}{8}$ rabbetted and with oak sills.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.



Elevation of Window Frame which we carry in all regular sizes.

KNOCK-DOWN WINDOW FRAMES

By carrying the following eleven sizes of frames for two-light windows,

16 x 16	18 x 18	20 x 20	22 x 22	24 x 24	26 x 26
28 x 28	30 x 30	36 x 32	40 x 34	44 x 36	

and interchanging the widths and heights, one hundred and twenty-one sizes can be made.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.

Our **READY TO USE MILLWORK** includes Interior Mouldings stuck to our own details and are carried on hand always ready for quick service. We give you full size details on the following pages so that you can see exactly what you are getting.

We carry these mouldings in Oak, Chestnut, Red Gum, Soft Washington Yellow Fir, Western White Pine and Soft Arkansas Yellow Pine, all out of thoroughly seasoned, kiln dried stock, worked smooth.

We will measure up your house and can give you the Interior Trim cut to length, door jambs dadoed and the stools, caps and aprons with ends returned on the solid. We also furnish you with full working Blue Prints for your Pantry, Cupboards or Bookcases, with full list of material required for same listed on the Blue Prints, so that your mechanic can properly place the material without delay or trouble.

We will quote you on lists, plans or measure up your job for you.


TRY OUR

READY TO USE MILLWORK

Morse Sash

High Class
Mill Work

& Door Co.



Elevation of Interior Trim

Ask your dealer for prices



Morse Sash

High Class
Mill Work

& Door Co.

INTERIOR

MOULDING



Plain Oak, Chestnut, Red
Gum, Yellow Fir, White
Pine and Yellow Pine.




*Ask your dealer
for prices*

Morse Sash


High Class
Mill Work

& Door Co.


INTERIOR MOULDING



1 1/2 inch



1 1/2 inch




Plain Oak, Chestnut, Red Gum, Yellow Fir, White Pine and
Yellow Pine.

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work



INTERIOR MOULDING



Plain Oak, Chestnut, Red Gum, Yellow Fir, White Pine and Yellow Pine.

Ask your dealer for prices

INTERIOR MOULDING




Plain Oak, Chestnut, Red Gum, Yellow Fir, White Pine and
Yellow Pine.

Ask your dealer for prices

Morse Sash

High Class
Mill Work


& Door Co.



Morse Sash & Door Co.

High Class
Mill Work

INTERIOR MOULDING



Plain Oak, Chestnut, Red Gum, Yellow Fir, White Pine and Yellow Pine.


Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.

INTERIOR MOULDING




Plain Oak, Chestnut, Red Gum, Yellow Fir, White Pine and
Yellow Pine.

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work

INTERIOR MOULDING



Plain Oak, Chestnut, Red Gum, Yellow Pine, White Pine and
Yellow Fir.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.


EXTERIOR MOULDING



In White Pine only.

Ask your dealer for prices

EXTERIOR MOULDING





In White Pine only.

Ask your dealer for prices

Morse Sash & Door Co.

High Class
Mill Work


EXTERIOR MOULDING



In White Pine only.

Ask your dealer for prices

EXTERIOR MOULDING



In White Pine only.

Ask your dealer for prices

Morse Sash

High Class
Mill Work

& Door Co.

EXTERIOR MOULDING






In White Pine only.

Morse Sash

High Class
Mill Work

& Door Co.

EXTERIOR MOULDING



In White Pine only.

Ask your dealer for prices

Morse Sash & Door Co.

PRICES ON

Interior Mouldings Carried in Stock

Plain Oak, Chestnut, Red Gum and Pine, Yellow Fir and Arkansas
Short Leaf Yellow Pine.

	No.	Finished Size	List
Fillet	110	$\frac{3}{8}$ x $1\frac{1}{8}$	\$ 2.20
Panel Strips.....	111	$\frac{3}{8}$ x 3	6.50
Carpet Strip.....	112	$\frac{3}{8}$ x $\frac{7}{8}$	2.00
Picture Mould.....	113	$\frac{13}{16}$ x $1\frac{3}{4}$	4.00
Stop	115	$\frac{7}{16}$ x $1\frac{1}{2}$	4.00
Cap Mould.....	116	$1\frac{1}{8}$ x $2\frac{1}{4}$	8.30
Head Casing and Jambs.....	117	$\frac{13}{16}$ x $5\frac{3}{8}$	13.00
Neck Mould.....	118	$\frac{5}{8}$ x $\frac{1}{2}$	2.00
Cove	119	$\frac{5}{8}$ x $\frac{7}{8}$	2.00
Quarter Round.....	120	$\frac{3}{4}$ x $\frac{3}{4}$	2.00
Window Stool.....	121	$1\frac{1}{8}$ x $3\frac{1}{4}$	11.60
Window Apron.....	122	$\frac{13}{16}$ x $3\frac{1}{2}$	8.40
Casing	123	$\frac{13}{16}$ x $4\frac{1}{4}$	10.00
Mullion Casing.....	123 $\frac{1}{2}$	$\frac{13}{16}$ x $5\frac{3}{4}$	13.00
Casing	124	$\frac{13}{16}$ x $4\frac{1}{4}$	10.00
Window Apron.....	124 $\frac{1}{2}$	$\frac{13}{16}$ x $3\frac{1}{2}$	8.40
Plate Rail Apron.....	124 $\frac{1}{2}$	$\frac{13}{16}$ x $3\frac{1}{2}$	8.40
Corner Bead.....	125	$1\frac{1}{8}$ x $1\frac{1}{8}$	4.70
Panel Mould.....	126	$\frac{3}{8}$ x $\frac{7}{8}$	2.00
Plate Rail Shelf.....	127	$\frac{13}{16}$ x $3\frac{1}{4}$	8.00
Plate Rail Mould.....	128	$\frac{13}{16}$ x $1\frac{1}{8}$	3.00
Window Stool.....	129	$1\frac{1}{8}$ x $5\frac{1}{4}$	19.80
Glass Bead.....	130	$\frac{1}{2}$ x $\frac{3}{4}$	2.00
Wainscot Cap.....	131	$\frac{13}{16}$ x $3\frac{1}{4}$	8.00
Crown Mould.....	132	$\frac{13}{16}$ x $2\frac{3}{4}$	6.00
Beam Facia.....	133	$\frac{13}{16}$ x $4\frac{3}{4}$	11.00
Beam Soffit.....	134	$\frac{13}{16}$ x 5	12.00
Panel Mould.....	135	$\frac{3}{8}$ x $\frac{1}{2}$	2.00
Stop	136	$\frac{7}{16}$ x $1\frac{3}{4}$	4.50
Ceiling Cove.....	137	$\frac{13}{16}$ x $3\frac{3}{4}$	8.00
Back Band.....	139	$1\frac{1}{8}$ x $1\frac{1}{4}$	6.30
String Cap.....	140	$\frac{13}{16}$ x $3\frac{1}{2}$	8.00
Base	145	$\frac{13}{16}$ x $7\frac{1}{2}$	16.00
Base	145	$\frac{13}{16}$ x $8\frac{1}{2}$	19.00
Base	146	$\frac{13}{16}$ x $7\frac{1}{2}$	16.00
Base	146	$\frac{13}{16}$ x $8\frac{1}{2}$	19.00
Stair Nosing.....	147	$1\frac{1}{8}$ x $3\frac{3}{4}$	13.20
Base Mould.....	159	$\frac{3}{4}$ x $2\frac{3}{4}$	6.50
Stop	160	$\frac{7}{16}$ x $3\frac{1}{2}$	8.40
Wainscot Cap.....	161	$\frac{13}{16}$ x $3\frac{1}{4}$	8.00
Base Mould.....	162	$\frac{5}{8}$ x $1\frac{1}{2}$	4.00

PRICES ON

Exterior Mouldings Carried in Stock

Western White Pine only.


	No.	Finished Size	List
Screen Mould.....	10	$\frac{3}{8}$ x $\frac{5}{8}$	\$1.00
Parting Stop.....	35	$\frac{1}{2}$ x $\frac{7}{8}$	1.00
Lattice	36	$\frac{5}{16}$ x $1\frac{3}{8}$	1.00
Cove Mould.....	37	$\frac{5}{8}$ x $\frac{7}{8}$	1.00
Quarter Round.....	39	$\frac{3}{4}$ x $\frac{3}{4}$	1.00
Bed Mould.....	40	$1\frac{3}{16}$ x $1\frac{3}{4}$	2.00
Crown Mould.....	41	$1\frac{3}{16}$ x $2\frac{3}{4}$	3.00
Crown Mould.....	42	$1\frac{3}{16}$ x $3\frac{1}{4}$	3.50
Crown Mould.....	43	$1\frac{3}{16}$ x $3\frac{3}{4}$	4.00
Crown Mould.....	44	$1\frac{3}{16}$ x $4\frac{1}{4}$	4.75
Crown Mould.....	45	$1\frac{3}{16}$ x $4\frac{5}{8}$	5.50
Bed Mould.....	46	$1\frac{3}{16}$ x $2\frac{1}{4}$	2.50
Neck Mould.....	47	$1\frac{3}{16}$ x $1\frac{3}{4}$	2.00
Brick Mould.....	49	$1\frac{3}{8}$ x $1\frac{5}{8}$	6.20
Brick Mould.....	50	$1\frac{3}{16}$ x $1\frac{3}{8}$	2.90
Back Band.....	52	$1\frac{3}{16}$ x $1\frac{3}{4}$	2.00
Drip Cap.....	53	$1\frac{1}{8}$ x $1\frac{3}{4}$	3.30
Drip Cap.....	54	$1\frac{1}{8}$ x $2\frac{3}{4}$	5.40
Bed Mould.....	56	$1\frac{3}{16}$ x $2\frac{3}{4}$	3.00

Morse Sash


High Class
Mill Work

& Door Co.

CUT UP WINDOWS




20



21




22



23



24



25



26



27
66



28

Morse Sash

High Class
Mill Work

& Door Co.


CUT UP WINDOWS



29



30



31




32



33



34



35



36
67



37

Morse Sash

High Class
Mill Work

& Door Co.


CUT UP WINDOWS



17



18



19

In conjunction with our READY TO USE MILLWORK, we have a complete short-order shop wherein we can promptly fill your orders for any kind of cut up windows or sash that you may desire. We carry a full line of open windows and sash that we can quickly cut the bars into, to make any design that you may call for.

Send us your orders and have them quickly attended to.

Ask your dealer for prices

OFFICIAL GRADES

SASH, DOORS AND BLINDS

Adopted by the Wholesale Sash, Door and Blind Manufacturers'
Association of the Northwest.

DOORS

AAA. Oil Finish Doors.—Material for AAA oil Finish Doors must be Clear, no white sap admitted. Workmanship must be good.

AA. Oil Finish Doors.—Material for AA oil Finish Doors must be Clear, with the exception that white sap will be admitted, not to exceed twenty-five (25) per cent. of the face of any piece. Workmanship must be good.

No. 1 Quality. Materials in No. 1 Doors must be Clear, with the exception that water stains and small pin knots not exceeding one-fourth ($\frac{1}{4}$) inch in diameter may be admitted. No piece to contain more than two (2) such defects and no door more than five (5) such defects on each side; white sap not considered a defect. Workmanship must be good.

No. 2 Quality. Material in No. 2 Doors may contain knots not to exceed one (1) inch in diameter, and blue sap showing on both sides not to exceed fifty (50) per cent. in any one piece of the door and gum spots showing on one (1) side of a piece only and other slight defects, shall not exceed ten (10) in number on each side and each white pine stile, bottom and lock rail must contain at least one (1) and not to exceed three (3) such defects; plugs admitted and not regarded as a defect. Slight defects in workmanship admitted.

No. 3 Quality. Materials for No. 3 Doors may contain all stained sap and small worm holes and fine shake; also knots not exceeding one and three-fourths ($1\frac{3}{4}$) inches in diameter. Twenty (20) defects may be allowed on each side, also slight defects in workmanship. Each piece of white pine in a No. 3 Door must contain a defect. Not more than six (6) defects allowed in any one piece.

No. 4 Quality. No. 4 Doors are regarded as a cull door and must contain large coarse knots and may contain rot, worm holes, shake and other serious defects.

A standard door may be through tennon, blind tennon or dowelled.

Official Grades—Continued**WINDOWS**

Check Rail Windows may contain two (2) knots three-eighths ($\frac{3}{8}$) inch in diameter or one red knot five-eighths ($\frac{5}{8}$) inch in diameter in each piece of a window. White sap and not over twenty-five (25) per cent. blue sap may be admitted in any one window. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

BLINDS

No. 1 Outside Blinds for paint must be made of sound lumber and may contain small sound pin knots, water stain and white sap, also twenty-five (25) per cent. of blue sap may be admitted. A slight imperfection in workmanship also admitted.

No. 2 Outside Blinds must be made of sound stock which may contain sound knots up to five-eighths ($\frac{5}{8}$) inch in diameter in any amount of either white or blue sap. Slight imperfection of workmanship admitted.

Inside Blinds must be made of clear lumber suitable for oil finish. Workmanship must be good.

WOODS ADMISSIBLE

Woods other than Michigan, Wisconsin and Minnesota or Western Pine shall be admitted in Doors, Blinds and Windows.

DIRECTIONS FOR ORDERING

Time, Annoyance and Expense can be Saved by Noting and Following Closely the Suggestions Below :

We will understand all orders and inquiries as calling for **Regular N. Y. Style and Sizes** as described in this catalog, unless specifically ordered otherwise, or unless covered by standing instructions to the contrary.

Be Explicit in ordering. Do not assume that we know what you want. Always give **width** first, length or height second, then thickness.

Always use inches to designate glass sizes, and feet and inches for openings or outside measurements.

SASH AND WINDOW

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether single or double strength.

If a window whether check or plain rail.

If segment or circle head give number of style desired (see page 98) and radius of circle or segment if not regular. When not otherwise specified we will furnish Circle Head made Style No. 2 with a radius one-half the width of the sash less the width of the stile, and for Segment Head made Style No. 4 with a radius the width of the sash less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and if possible send sketch.

If glass sizes only are given we will understand that regular stock widths of stiles, rails and bars are required.

Note—All windows and sash are understood to be glazed unless ordered open specifically. All glazed windows are primed or oiled one coat unless otherwise ordered.

DOORS

In the absence of other instructions we will consider an order or inquiry for doors to call for the Standard Four Panel O. G. Door No. 1 quality.

State width, height and thickness, number of panels and arrangement of same and quality.

Directions for Ordering—*Continued*

DOORS

State style of sticking unless O G is desired.

If molded state whether flush or raised mold one or two sides.

If oil finish state whether machine smoothed or hand smoothed is desired.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels unless specifically ordered otherwise.

OUTSIDE BLINDS

We will understand all orders for blinds to call for **Regular N. Y. Styles and Sizes**, $1\frac{1}{8}$ inch rolling slats unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R. S.), stationary slats (S. S.), or half rolling and half stationary ($\frac{1}{2}$ R. S. $\frac{1}{2}$ S. S.).

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.

A set of blinds indicates more than two pieces, and should always be accompanied by sketch.

INSIDE BLINDS

Inside blinds we will understand are to be made four-fold, $1\frac{1}{8}$ inch thick, outside panel and inside slats; made to be cut in the center unless otherwise stated.

Give exact outside opening always, thickness, number of folds and arrangement of panels or slats.

If cut twice or more specify height from top to each cut.

If wanted to fold into box give width of outside folds.

If not the usual arrangement of panels or slats, always send sketch.

GLOSSARY OF TRADE TERMS

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

IN GENERAL

MEASUREMENTS

OUTSIDE OPENING—The measurement of any given article from outside to outside. The frame opening. Always should be given in feet and inches.

BETWEEN GLASS—The difference between the outside opening and the total glass measurement of a given window or sash.

FACE MEASURE—The measurement of any part of an article exclusive of any solid mold or rabbet.

FINISHED SIZE—The measurement of any given part of an article over all or including the solid mold or rabbet.

RIPPING SIZE—The size of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size up to 5 inch cuts and $\frac{1}{2}$ inch over above.

MOLDING

SOLID MOLD or SOLID STUCK—A mold which is worked on the article itself.

APPLIED MOLD—A separate mold applied or attached to any part of an article.

FLUSH MOLD—An applied molding which finishes flush with or below the face or surface of the stiles or rails of the article.

RAISED MOLD—An applied molding which partly covers or which extends above the face or surface of the stiles or rails of the article.

MULLION

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applied also to single blinds made to represent pairs.

MUNTIN

Applies to any short or light bars—either vertical or horizontal—in a sash or in a door between panels not extending the full width or length of the article.

Glossary of Trade Terms—Continued**ODD WORK**

This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Foot Notes or Rules for Extras—unless these specifically state to the contrary.

RAIL

The cross or horizontal pieces of the framework of a sash, door or blind.

STILES

The upright or vertical outside pieces of a sash, door or blind.

STOCK QUANTITY

Ten or more of any given article of one kind, size and quality.

STICKING. (See Solid Mold.)

O. G.—A solid mold which is a combination of a cove and a quarter round with no fillet between.—The standard sticking for doors, sash and blinds.

COVE AND BEAD—A solid mold which is a combination of a cove and quarter round with a small fillet between.

BEAD AND COVE—A solid mold which is a combination of a quarter round and cove with a small fillet between and on each side.

OVOLO—A solid mold which is a quarter round with a small fillet on each side.

P. G.—A solid mold which is a long bevel with a small fillet on each side.

APPLYING TO SASH OR WINDOWS**SASH**

A sash indicates a single piece to fill a given opening.

WINDOW

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

CASEMENT

Applies to a sash or pair of sash made to be hung on hinges to swing.

COTTAGE

COTTAGE WINDOW—A window in which the meeting rails are placed above the center of the opening.

COTTAGE SASH—A sash made to correspond to a cottage window.

FRENCH WINDOW

A pair of sash made to be hung on hinges like a pair of doors—A long pair of casement sash.

FACTORY SASH OR WINDOWS

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

FULL BOUND

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS

The rails of a window which meet when the window is hung and closed.

PLAIN RAIL—Meeting rails of the same thickness as the rest of the window.

CHECK RAILS—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

LUGS OR HORNS

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold—(O. G. Lugs).

QUEEN ANNE

Windows or sash divided into small lights.

SUSPENDED LIGHTS

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or munts.

APPLYING TO DOORS

ASTRAGAL

MOLD—FOR FOLDING DOORS—A strip of molding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

SINGLE—For Folding Doors—A strip the length of the doors with a cross-section usually similar to a letter "T"—used to form a rabbet.

DOUBLE—For Sliding Doors—A pair of strips the length of the doors—rabbeted to receive the doors on the back and molded or grooved reciprocally on the face to make a tight joint.

JOINT—For Sliding Doors—A molding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a tight joint.

BANDED DOORS

Doors with a thin band or strip—usually molded—on the outside edge of the face of each stile and top and bottom rail—also called friction strips.

CHAMFERED DOORS

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

STOP CHAMFER—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS

Doors put together with dowels instead of tenons.

DUTCH DOOR

A door made to be cut horizontally through the lock rail so that the upper part can be opened independently of the lower part.

FOUR-PANEL DOOR

Unless specifically otherwise stated is understood to mean the standard listed four-panel door No. 200.

FIVE-PANEL DOOR

Unless specifically otherwise stated is understood to mean the standard listed five-panel lock rail panel door No. 201.

PANELS

Bevel raised panels are standard.

GRADUATED PANELS

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL

The center rail of a standard four-panel door.

PANEL—The horizontal panel of a standard five-panel or similar door.

TENONS

THROUGH TENONED—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

BLIND TENONED OR MORTISED—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

APPLYING TO BLINDS

BLIND

SINGLE—A single blind is one piece to fill a given opening.

PAIR—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

SET—A set of blinds is more than two pieces for a given opening made to fold upon each other.

STATIONARY SLAT BLINDS

Blinds with slats mortised into or so attached to the stiles as to be fixed.

HALF STATIONARY BLINDS—Blinds with one panel of movable or rolling slats, and one of stationary or fixed slats.

SHUTTERS

Blinds with solid panels instead of slat panels.

Morse Sash

High Class Mill Work

& Door Co.

LISTED SIZES OF Two Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
12 x 16	\$1.16	\$2.75		1- 4 x 3- 2
18	1.19	2.90		3- 6
20	1.21	3.00		3-10
22	1.29	3.20		4- 2
24	1.32	3.45		4- 6
26	1.40	3.65		4-10
28	1.44	3.80		5- 2
30	1.54	4.15		5- 6
32	1.59	4.30		5-10
14 x 16	1.19	2.90		1- 6 x 3- 2
18	1.22	3.00		3- 6
20	1.24	3.20		3-10
22	1.32	3.40		4- 2
24	1.35	3.70		4- 6
26	1.44	3.90		4-10
28	1.48	4.20		5- 2
30	1.56	4.45		5- 6
32	1.61	4.65		5-10
16 x 16	1.24	3.10	\$3.75	1- 8 x 3- 2
18	1.26	3.25	3.95	3- 6
20	1.29	3.35	4.15	3-10
22	1.39	3.75	4.70	4- 2
24	1.40	3.75	4.70	4- 6
26	1.46	4.10	5.35	4-10
28	1.53	4.50	5.85	5- 2
30	1.59	4.75	6.20	5- 6
32	1.63	4.95	6.45	5-10
34	1.74	5.25	6.80	6- 2
36	1.84	5.50	7.20	6- 6
18 x 16	1.29	3.30	4.00	1-10 x 3- 2
18	1.29	3.55	4.45	3- 6
20	1.32	3.75	4.70	3-10
22	1.42	4.30	5.50	4- 2
24	1.43	4.30	5.55	4- 6
26	1.49	4.55	5.75	4-10
28	1.56	4.80	6.10	5- 2
30	1.61	5.05	6.70	5- 6
32	1.64	5.10	6.75	5-10
34	1.77	5.65	7.45	6- 2
36	1.87	6.00	8.10	6- 6
20 x 16	1.36	3.60	4.50	2- 0 x 3- 2
18	1.36	3.80	4.80	3- 6
20	1.36	3.90	4.80	3-10
22	1.44	4.40	5.55	4- 2
24	1.47	4.45	5.55	4- 6
26	1.51	4.60	6.00	4-10
28	1.59	4.85	6.40	5- 2
30	1.64	5.30	6.80	5- 6
32	1.67	5.75	7.40	5-10

(Continued on next page.)

Morse Sash

High Class Mill Work

& Door Co.

LISTED SIZES OF Two Light Check Rail Windows 1 3/4 Inches Thick

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
20 x 34	\$1.79	\$5.90	\$7.55	2- 0 x 6- 2
36	1.89	6.55	8.30	6- 6
38	2.17	7.30	9.20	6-10
40	2.21	7.40	9.30	7- 2
22 x 16	1.46	3.95	4.70	2- 2 x 3- 2
18	1.46	4.20	5.20	3- 6
20	1.46	4.40	5.50	3-10
22	1.46	4.55	5.75	4- 2
24	1.50	4.60	5.80	4- 6
26	1.54	4.75	6.05	4-10
28	1.63	5.30	6.45	5- 2
30	1.67	5.75	7.35	5- 6
32	1.70	6.10	7.90	5-10
34	1.84	6.50	8.20	6- 2
36	1.92	7.00	8.70	6- 6
38	2.22	7.35	9.30	6-10
40	2.25	8.45	10.60	7- 2
24 x 16	1.47	4.05	4.75	2- 4 x 3- 2
18	1.47	4.30	5.25	3- 6
20	1.47	4.50	5.60	3-10
22	1.55	4.70	6.55	4- 2
24	1.58	5.15	6.55	4- 6
26	1.61	5.20	6.60	4-10
28	1.70	5.65	7.25	5- 2
30	1.74	6.00	7.75	5- 6
32	1.79	6.65	8.55	5-10
34	1.91	7.00	8.90	6- 2
36	1.95	7.35	9.45	6- 6
38	2.29	8.50	10.65	6-10
40	2.34	8.55	10.75	7- 2
26 x 16	1.57	4.45	5.50	2- 6 x 3- 2
18	1.57	4.70	5.85	3- 6
20	1.57	4.85	6.10	3-10
24	1.61	5.25	6.75	4- 6
26	1.65	5.60	7.20	4-10
28	1.74	6.20	7.90	5- 2
30	1.78	6.65	8.50	5- 6
32	1.82	6.70	8.80	5-10
34	1.96	8.05	10.20	6- 2
36	2.00	8.10	10.25	6- 6
38	2.33	9.20	11.70	6-10
40	2.39	9.30	11.80	7- 2
27 1/2 x 24	1.70	5.95	7.60	2- 8 x 4- 6
26	1.74	6.50	8.25	4-10
28	1.83	7.00	8.95	5- 2
30	1.87	7.10	9.05	5- 6
28 x 16	1.67	4.70	5.80	2- 8 x 3- 2
18	1.67	5.00	6.25	3- 6
20	1.67	5.15	6.50	3-10

(Continued on next page.)

Morse Sash

High Class Mill Work

& Door Co.

LISTED SIZES OF

Two Light Check Rail Windows

1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
28 x 24	\$1.70	\$5.95	\$7.60	2- 8 x 4- 6
26	1.74	6.50	8.25	4-10
28	1.83	6.95	8.80	5- 2
30	1.87	7.10	9.05	5- 6
32	1.92	7.85	10.00	5-10
34	2.03	8.15	10.30	6- 2
36	2.07	8.65	11.10	6- 6
38	2.43	9.35	11.85	6-10
40	2.48	10.30	13.20	7- 2
30 x 16	1.71	4.90	6.05	2-10 x 3- 2
18	1.71	5.15	6.55	3- 6
20	1.71	5.40	6.85	3-10
24	1.74	6.15	7.90	4- 6
26	1.78	6.80	8.65	4-10
28	1.87	7.00	8.95	5- 2
30	1.91	7.80	9.90	5- 6
32	1.94	8.00	10.15	5-10
34	2.06	8.85	11.35	6- 2
36	2.11	8.90	11.40	6- 6
38	2.48	10.30	13.20	6-10
40	2.53	10.40	13.30	7- 2
32 x 16	1.84	5.25	6.50	3- 0 x 3- 2
18	1.84	5.45	6.80	3- 6
20	1.84	5.95	7.60	3-10
24	1.95	7.05	8.95	4- 6
26	2.00	7.10	9.00	4-10
28	2.10	8.25	10.40	5- 2
30	2.14	8.30	10.45	5- 6
32	2.18		11.50	5-10
34	2.33		11.70	6- 2
36	2.48		13.20	6- 6
38	2.53		14.20	6-10
40	2.57		14.30	7- 2
34 x 16	1.89		6.85	3- 2 x 3- 2
18	1.89		7.30	3- 6
20	1.89		7.65	3-10
24	2.00		9.00	4- 6
26	2.06		10.35	4-10
28	2.14		10.45	5- 2
30	2.20		11.50	5- 6
32	2.22		11.60	5-10
34	2.37		13.10	6- 2
36	2.52		14.20	6- 6
38	2.57		14.25	6-10
40	2.62		16.35	7- 2
36 x 16	2.15		7.35	3- 4 x 3- 2
18	2.15		8.05	3- 6
20	2.15		8.60	3-10
22	2.15		9.20	4- 2

(Continued on next page.)

LISTED SIZES OF
Two Light Check Rail Windows

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
36 x 24	\$2.15		\$9.90	3- 4 x 4- 6
26	2.18		10.50	4-10
28	2.27		11.60	5- 2
30	2.32		11.70	5- 6
32	2.36		13.65	5-10
34	2.52		14.85	6- 2
36	2.65		15.00	6- 6
38	2.72		17.20	6-10
40	2.76		17.30	7- 2
38 x 24	2.18		10.75	3- 6 x 4- 6
26	2.24		11.85	4-10
28	2.33		11.95	5- 2
30	2.38		13.40	5- 6
32	2.42		14.40	5-10
34	2.57		14.90	6- 2
36	2.71		17.20	6- 6
38	2.76		17.30	6-10
40	2.81		17.35	7- 2
40 x 20	2.24		9.60	3- 8 x 3-10
22	2.24		10.85	4- 2
24	2.24		10.85	4- 6
26	2.28		11.90	4-10
28	2.37		13.35	5- 2
30	2.42		13.45	5- 6
32	2.46		14.45	5-10
34	2.61		17.00	6- 2
36	2.76		17.20	6- 6
38	2.81		17.35	6-10
40	2.87		17.45	7- 2
44 x 20	2.42		11.05	4- 0 x 3-10
22	2.42		12.10	4- 2
24	2.42		12.10	4- 6
26	2.45		13.50	4-10
28	2.55		14.60	5- 2
30	2.59		16.70	5- 6
32	2.64		16.75	5-10
34	2.81		17.10	6- 2
36	2.95		17.30	6- 6
48 x 20	2.52		11.25	4- 4 x 3-10
22	2.52		12.25	4- 2
24	2.52		14.50	4- 6
26	2.56		14.60	4-10
28	2.66		16.80	5- 2
30	2.70		16.85	5- 6
32	2.74		16.90	5-10
34	2.92		20.60	6- 2
36	3.00		21.00	6- 6

For larger than listed sizes, see Rule 1.

LISTED SIZES OF

Four Light Plain Rail Windows

1 1/8 Inches Thick. Not Ploughed or Bored.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
12 x 20	\$1.49	\$4.40	2- 4 x 3-10
24	1.60	4.90	4- 6
26	1.64	5.10	4-10
28	1.73	5.50	5- 2
14 x 26	1.75	5.95	2- 8 x 4-10
28	1.85	6.65	5- 2

LISTED SIZES OF

Four Light Check Rail Windows

1 1/8 Inches Thick. Ploughed and Bored.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
12 x 20	\$1.57	\$4.45	2- 4 x 3-10
24	1.70	5.00	4- 6
26	1.73	5.20	4-10
28	1.82	5.60	5- 2

LISTED SIZES OF

Two Light Plain Rail Windows

1 1/8 Inches Thick. Not Ploughed or Bored.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
24 x 20	\$1.32	\$4.35	2- 4 x 3-10
24	1.42	5.00	4- 6
26	1.45	5.05	4-10
28	1.53	5.50	5- 2
27 x 24	1.53	5.80	2- 7 x 4- 6
26	1.57	6.35	4-10
28	1.65	6.80	5- 2

For larger than listed sizes, see Rule 1.

Morse Sash High Class Mill Work & Door Co.

LISTED SIZES OF

Four Light Check Rail Windows

1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
10 x 16	\$1.55	\$3.80		2- 0 x 3- 2
18	1.58	4.00		3- 6
20	1.60	4.20		3-10
22	1.64	4.40		4- 2
24	1.67	4.40		4- 6
26	1.71	5.00		4-10
28	1.81	5.15		5- 2
30	1.93	5.60		5- 6
32	2.01	6.05		5-10
12 x 16	1.61	4.15		2- 4 x 3- 2
18	1.64	4.40		3- 6
20	1.65	4.55		3-10
22	1.74	4.85		4- 2
24	1.78	5.10		4- 6
26	1.82	5.30		4-10
28	1.92	5.70		5- 2
30	1.97	6.10		5- 6
32	2.09	6.40		5-10
34	2.21	7.05		6- 2
36	2.29	7.35		6- 6
40	2.65	9.10		7- 2
13 1/4 x 24	1.91	5.95		2- 7 x 4- 6
26	1.95	6.15		4-10
28	2.05	6.85		5- 2
30	2.09	7.10		5- 6
14 x 18	1.85	4.90		2- 8 x 3- 6
20	1.85	5.10		3-10
22	1.88	5.65		4- 2
24	1.91	5.95		4- 6
26	1.95	6.15		4-10
28	2.05	6.85		5- 2
30	2.09	7.10		5- 6
32	2.15	7.25	\$9.60	5-10
34	2.27	7.85	10.15	6- 2
36	2.33	8.00	10.70	6- 6
38	2.73	8.95	11.50	6-10
40	2.80	9.40	12.15	7- 2
15 x 24	2.14	6.40	7.90	2-10 x 4- 6
26	2.19	7.00	9.00	4-10
28	2.30	7.40	9.45	5- 2
30	2.36	7.70	9.90	5- 6
32	2.40	8.00	10.35	5-10
34	2.57	8.50	11.00	6- 2
36	2.72	9.30	12.00	6- 6
38	2.78	9.35	12.10	6-10
40	2.84	10.25	13.10	7- 2

For larger than listed sizes, see Rule 1.

Morse Sash & Door Co.

High Class
Mill Work

LISTED SIZES OF Eight Light Plain Rail Windows 1 1/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$1.48	\$3.60	1- 8 x 3-10
12	1.59	4.10	4- 6
9 x 12	1.64	4.30	1-10 x 4- 6
14	1.74	4.80	5- 2
10 x 12	1.65	4.35	2- 0 x 4- 6
14	1.77	4.80	5- 2
16	2.04	5.55	5-10
12 x 14	1.86	5.40	2- 4 x 5- 2
16	2.14	6.15	5-10
18	2.30	7.05	6- 6

LISTED SIZES OF Eight Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$1.75	\$4.15	1- 8 x 3-10
12	1.83	4.50	4- 6
9 x 12	1.83	4.60	1-10 x 4- 6
14	1.97	5.10	5- 2
10 x 12	1.87	4.65	2- 0 x 4- 6
14	2.01	5.15	5- 2
16	2.18	6.05	5-10
12 x 14	2.13	5.80	2- 4 x 5- 2
16	2.24	6.30	5-10
18	2.66	7.60	6- 6
20	2.76	8.55	7- 2
14 x 16	2.60	7.60	2- 8 x 5-10
18	2.80	8.25	6- 6
20	2.92	8.85	7- 2

For larger than listed sizes, see Rule 1.

LISTED SIZES OF
Twelve Light Plain Rail Windows
1 1/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$1.76	\$4.35	2- 1 x 3- 6
8 x 10	1.79	4.60	2- 4 x 3-10
12	1.95	5.10	4- 6
14	2.06	5.90	5- 2
9 x 12	1.97	5.35	2- 7 x 4- 6
13	2.06	5.95	4-10
14	2.09	6.00	5- 2
15	2.36	6.75	5- 6
10 x 12	2.03	5.75	2-10 x 4- 6
14	2.15	6.30	5- 2
15	2.40	7.10	5- 6
16	2.45	7.30	5-10
18	2.60	8.30	6- 6
12 x 14	2.50	7.90	3- 4 x 5- 2
16	2.63	8.60	5-10
18	2.78	9.40	6- 6

LISTED SIZES OF
Twelve Light Check Rail Windows
1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$2.02	\$4.95	2- 4 x 3-10
12	2.21	5.75	4- 6
9 x 12	2.26	5.80	2- 7 x 4- 6
13	2.36	6.45	4-10
14	2.40	6.70	5- 2
10 x 12	2.32	6.15	2-10 x 4- 6
14	2.46	6.80	5- 2
15	2.82	7.95	5- 6
16	2.82	7.95	5-10
18	3.02	9.05	6- 6
12 x 14	2.96	8.25	3- 4 x 5- 2
16	3.07	8.95	5-10
18	3.26	10.25	6- 6
20	3.38	10.90	7- 2

For larger than listed sizes, see Rule 1.

LISTED SIZES OF

Fifteen Light Plain Rail Windows

1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$2.15	\$5.35	2- 1 x 4- 3
8 x 10	2.28	5.95	2- 4 x 4- 8
12	2.44	6.55	5- 6
14	2.57	7.20	6- 4
9 x 12	2.53	6.95	2- 7 x 5- 6
13	2.59	7.30	5-11
14	2.67	7.70	6- 4
15	2.76	8.00	6- 9
16	2.82	8.25	7- 2
10 x 12	2.58	7.40	2-10 x 5- 6
14	2.72	8.15	6- 4
15	2.81	8.40	6- 9
16	2.87	9.20	7- 2
12 x 14	2.91	9.45	3- 4 x 6- 4
16	3.09	10.35	7- 2

LISTED SIZES OF

Fifteen Light Check Rail Windows

1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$2.55	\$6.30	2- 4 x 4- 8
12	2.74	6.90	5- 6
14	2.90	7.60	6- 4
9 x 12	2.87	7.35	2- 7 x 5- 6
13	2.94	7.75	5-11
14	3.03	8.15	6- 4
16	3.21	8.75	7- 2
10 x 12	2.94	7.85	2-10 x 5- 6
14	3.10	8.60	6- 4
15	3.21	8.95	6- 9
16	3.28	9.70	7- 2
18	3.46	10.50	8- 0
12 x 14	3.34	10.00	3- 4 x 6- 4
16	3.51	10.85	7- 2
18	3.69	11.85	8- 0

For larger than listed sizes, see Rule 1.

Morse Sash **High Class Mill Work** & Door Co.

LISTED SIZES OF Eighteen Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$2.99	\$7.50	2- 4 1/2 x 5- 7 1/8
12	3.24	8.30	6- 7 1/8
14	3.40	9.05	7- 7 1/8
9 x 12	3.36	8.80	2- 7 1/2 x 6- 7 1/8
13	3.45	9.25	7-11 1/8
14	3.53	9.65	7- 7 1/8
16	3.78	10.45	8- 7 1/8
10 x 12	3.44	9.35	2-10 1/2 x 6- 7 1/8
14	3.61	10.25	7- 7 1/8
15	3.78	10.95	8- 1 1/8
16	3.86	11.60	8- 7 1/8
18	4.03	12.50	9- 7 1/8
12 x 14	3.85	11.85	3- 4 1/2 x 7- 7 1/8
16	4.11	12.95	8- 7 1/8
18	4.28	14.05	9- 7 1/8

LISTED SIZES OF Twenty Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$2.86	\$6.75	2- 4 3/4 x 3-10 1/8
7 x 9	3.10	7.55	2- 8 3/4 x 4- 3 7/8
8 x 10	3.27	8.40	3- 0 3/4 x 4- 8 7/8
12	3.47	9.15	5- 6 7/8
14	3.63	10.00	6- 4 7/8
9 x 12	3.65	9.75	3- 4 3/4 x 5- 6 7/8
14	3.82	10.75	6- 4 7/8
10 x 12	3.76	10.40	3- 8 3/4 x 5- 6 7/8
14	3.93	11.35	6- 4 7/8
16	4.12	12.80	7- 2 7/8
18	4.32	13.80	8- 0 7/8
12 x 14	4.23	13.20	4- 4 3/4 x 6- 4 7/8
16	4.42	14.35	7- 2 7/8
18	4.62	15.60	8- 0 7/8

For larger than listed sizes, see Rule 1.

Morse Sash**High Class
Mill Work****& Door Co.**

LISTED SIZES OF

Twenty-Four Light Check Rail Windows**1 3/8 Inches Thick**

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$3.33	\$ 8.10	2- 4 3/4 x 4- 7 7/8
7 x 9	3.62	9.05	2- 8 3/4 x 5- 0 7/8
8 x 10	3.81	10.05	3- 0 3/4 x 5- 7 7/8
12	4.06	11.00	6- 7 7/8
14	4.24	11.90	7- 7 7/8
9 x 12	4.26	11.70	3- 4 3/4 x 6- 7 7/8
14	4.44	12.80	7- 7 7/8
10 x 12	4.37	12.45	3- 8 3/4 x 6- 7 7/8
14	4.55	13.55	7- 7 7/8
16	4.81	15.35	8- 7 7/8
18	5.01	16.55	9- 7 7/8
12 x 14	4.85	15.75	4- 4 3/4 x 7- 7 7/8
16	5.13	17.15	8- 7 7/8
18	5.32	18.60	9- 7 7/8

LISTED SIZES OF

Thirty Light Check Rail Windows**1 3/8 Inches Thick**

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$4.08	\$10.15	2-11 x 4- 7 7/8
7 x 9	4.43	11.35	3- 4 x 5- 1 7/8
8 x 10	4.67	12.60	3- 9 x 5- 7 7/8
12	4.98	13.70	6- 7 7/8
14	5.13	14.90	7- 7 7/8
9 x 12	5.15	14.55	4- 2 x 6- 7 7/8
14	5.36	15.95	7- 7 7/8
10 x 12	5.30	15.50	4- 7 x 6- 7 7/8
14	5.50	16.85	7- 7 7/8
16	5.78	19.15	8- 7 7/8
18	5.99	20.55	9- 7 7/8
12 x 14	5.80	19.55	5- 5 x 7- 7 7/8
16	6.08	21.20	8- 7 7/8
18	6.29	21.95	9- 7 7/8

For larger than listed sizes, see Rule 1.

LISTED SIZES OF Thirty-Two Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$4.30	\$10.95	2- 4 3/4 x 5- 11 5/8
7 x 9	4.67	12.20	2- 8 3/4 x 6- 7 5/8
8 x 10	4.90	13.55	3- 0 3/4 x 7- 3 5/8
12	5.23	14.75	8- 7 5/8
14	5.49	16.10	9- 11 5/8
9 x 12	5.43	15.60	3- 4 3/4 x 8- 7 5/8
14	5.69	17.15	9- 11 5/8
10 x 12	5.55	16.55	3- 8 3/4 x 8- 7 5/8
14	5.81	18.10	9- 11 5/8
16	6.06	20.50	11- 3 5/8
18	6.33	22.00	12- 7 5/8
12 x 14	6.14	21.00	4- 4 3/4 x 9- 11 5/8
16	6.39	22.70	11- 3 5/8
18	6.65	24.55	12- 7 5/8

LISTED SIZES OF Thirty-Six Light Check Rail Windows 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$4.81	\$12.50	2- 4 3/4 x 6- 7 7/8
7 x 9	5.20	13.90	2- 8 3/4 x 7- 4 7/8
8 x 10	5.46	15.35	3- 0 3/4 x 8- 1 7/8
12	5.74	16.65	9- 7 7/8
14	6.06	18.15	11- 1 7/8
9 x 12	5.99	17.60	3- 4 3/4 x 9- 7 7/8
14	6.28	19.30	11- 1 7/8
10 x 12	6.12	18.65	3- 8 3/4 x 9- 7 7/8
14	6.41	20.40	11- 1 7/8
16	6.69	23.10	12- 7 7/8
18	6.98	24.85	14- 1 7/8
12 x 14	6.75	23.65	4- 4 3/4 x 11- 1 7/8
16	7.02	25.60	12- 7 7/8
18	7.32	26.75	14- 1 7/8

For larger than listed sizes, see Rule 1.

LISTED SIZES OF
Forty Light Check Rail Windows
1 $\frac{3}{8}$ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$5.24	\$13.95	2-11 x 5-11 $\frac{5}{8}$
7 x 9	5.68	15.50	3- 4 x 6- 7 $\frac{5}{8}$
8 x 10	5.97	17.15	3- 9 x 7- 3 $\frac{5}{8}$
12	6.32	18.60	8- 7 $\frac{5}{8}$
14	6.60	20.20	9-11 $\frac{5}{8}$
9 x 12	6.54	19.65	4- 2 x 8- 7 $\frac{5}{8}$
14	6.82	21.50	9-11 $\frac{5}{8}$
10 x 12	6.72	20.85	4- 7 x 8- 7 $\frac{5}{8}$
14	6.99	22.70	9-11 $\frac{5}{8}$
16	7.26	25.75	11- 3 $\frac{5}{8}$
18	7.54	27.60	12- 7 $\frac{5}{8}$
12 x 14	7.30	26.30	5- 5 x 9-11 $\frac{5}{8}$
16	7.58	28.40	11- 3 $\frac{5}{8}$
18	7.86	30.75	12- 7 $\frac{5}{8}$

For larger than listed sizes, see Rule 1.

LISTED SIZES OF

One Light Sash

1 3/4 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$.76	\$1.30	1- 0 x 1- 3
10 x 12	.77	1.55	1- 2 x 1- 5
14	.80	1.65	1- 7
12 x 16	.83	1.80	1- 4 x 1- 9
20	.91	1.95	2- 1
16 x 16	.95	2.05	1- 8 x 1- 9
18	.98	2.15	1-11
20	1.00	2.25	2- 1
24	1.02	2.45	2- 5
18 x 18	1.00	2.30	1-10 x 1-11
20	1.01	2.40	2- 1
24	1.03	2.60	2- 5
26	1.04	2.70	2- 7
28	1.05	2.80	2- 9
30	1.10	2.95	2-11
20 x 16	1.01	2.30	2- 0 x 1- 9
18	1.02	2.40	1-11
20	1.03	2.55	2- 1
24	1.04	2.70	2- 5
24 x 16	1.03	2.45	2- 4 x 1- 9
18	1.04	2.60	1-11
20	1.05	2.75	2- 1
24	1.06	3.00	2- 5
26	1.07	3.05	2- 7
28	1.10	3.20	2- 9
30	1.12	3.40	2-11
26 x 28	1.13	3.40	2- 6 x 2- 9
30	1.15	3.75	2-11
28 x 16	1.03	2.65	2- 8 x 1- 9
18	1.04	2.80	1-11
20	1.07	2.90	2- 1
24	1.10	3.25	2- 5
28	1.15	3.65	2- 9
30	1.17	3.80	2-11
30 x 16	1.05	2.70	2-10 x 1- 9
18	1.06	2.85	1-11
20	1.07	3.00	2- 1
24	1.13	3.40	2- 5
28	1.16	3.75	2- 9
30	1.18	4.30	2-11
36 x 16	1.12	3.10	3- 4 x 1- 9
18	1.13	3.30	1-11
20	1.15	3.60	2- 1
24	1.18	4.05	2- 5

LISTED SIZES OF

One Light Sash

1 3/4 Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening
40 x 16	\$1.15	\$4.15	3- 8 x 1- 9
18	1.17	4.50	1-11
20	1.28	4.85	2- 1
24	1.43	5.70	2- 5
42 x 16	1.16	4.25	3-10 x 1- 9
18	1.18	4.50	1-11
20	1.30	4.90	2- 1
24	1.44	6.20	2- 5
44 x 16	1.28	4.65	4- 0 x 1- 9
18	1.30	5.15	1-11
20	1.43	5.35	2- 1
24	1.48	6.30	2- 5
48 x 16	1.43	5.35	4- 4 x 1- 9
18	1.44	5.75	1-11
20	1.48	5.80	2- 1
24	1.53	7.45	2- 5

For larger than listed sizes, see Rule 11.

LISTED SIZES OF

One Light Stall Sash

1 3/4 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$.68	\$1.30	1- 0 x 1- 3
10 x 12	.69	1.40	1- 2 x 1- 5
14	.72	1.45	1- 7
12 x 16	.75	1.60	1- 4 x 1- 9
20	.82	1.80	2- 1
24	.90	2.05	2- 5
26	.91	2.10	2- 7

For larger than listed sizes, see Rule 11.

LISTED SIZES OF

Two Light Cellar Sash

1 1/2 Inches Thick

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening.
8 x 10	\$.65	\$1.55	\$2.65	1- 8 1/2 x 1- 3
10 x 12	.72	1.80	3.10	2- 0 1/2 x 1- 5
14	.74	1.90	3.30	1- 7
16	.77	2.05	3.60	1- 9
18	.79	2.15	3.80	1-11
20	.81	2.25	4.00	2- 1
12 x 12	.79	1.95	3.35	2- 4 1/2 x 1- 5
14	.81	2.10	3.65	1- 7
16	.84	2.25	3.95	1- 9
18	.86	2.40	4.25	1-11
20	.88	2.50	4.45	2- 1
22	.90	2.65	4.75	2- 3
24	.95	2.90	5.25	2- 5
14 x 16	.91	2.50	4.40	2- 8 1/2 x 1- 9
18	.93	2.60	4.60	1-11
20	.95	2.75	4.90	2- 1
22	.98	3.00	5.45	2- 3
24	1.02	3.25	5.95	2- 5

LISTED SIZES OF

Three Light Cellar Sash

1 1/2 Inches Thick

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
7 x 9	\$.72	\$1.70	\$2.90	2- 1 1/2 x 1- 2
8 x 10	.77	1.85	3.15	2- 4 1/2 x 1- 3
12	.78	1.95	3.35	1- 5
9 x 12	.81	2.05	3.55	2- 7 1/2 x 1- 5
13	.82	2.15	3.75	1- 6
14	.83	2.20	3.85	1- 7
16	.86	2.35	4.15	1- 9
10 x 12	.87	2.20	3.80	2-10 1/2 x 1- 5
14	.88	2.35	4.15	1- 7
16	.91	2.55	4.50	1- 9
18	.93	2.70	4.70	1-11
12 x 12	.96	2.45	4.25	3- 4 1/2 x 1- 5
14	.99	2.70	4.70	1- 7
16	1.01	2.90	5.20	1- 9
18	1.03	3.05	5.50	1-11
14 x 16	1.08	3.15	5.65	3-10 1/2 x 1- 9
18	1.09	3.35	6.05	1-11

For larger than listed sizes, see Rule 1.

LISTED SIZES OF

Three Light Cellar Sash

1½ Inches Thick

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
7 x 9	\$.86	\$1.85	\$3.05	2- 1½ x 1- 2
8 x 10	.92	2.00	3.30	2- 4½ x 1- 3
12	.94	2.10	3.50	1- 5
9 x 12	.97	2.20	3.60	2- 7½ x 1- 5
13	.98	2.30	3.90	1- 6
14	1.00	2.35	4.00	1- 7
16	1.03	2.50	4.30	1- 9
10 x 12	1.04	2.35	3.95	2-10½ x 1- 5
14	1.06	2.55	4.35	1- 7
16	1.09	2.75	4.70	1- 9
18	1.12	2.90	4.90	1-11
12 x 12	1.15	2.65	4.45	3- 4½ x 1- 5
14	1.19	2.90	4.90	1- 7
16	1.21	3.10	5.40	1- 9
18	1.24	3.25	5.70	1-11
14 x 16	1.30	3.35	5.85	3-10½ x 1- 9
18	1.31	3.55	6.25	1-11

For larger than listed sizes, see Rule 1.

LISTED SIZES OF

Four Light Barn Sash

1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$.84	\$1.90	1- 6½ x 1-11
8 x 10	.92	2.15	1- 8½ x 2- 1
12	.99	2.35	2- 5
14	1.05	2.50	2- 9
9 x 12	.99	2.45	1-10½ x 2- 5
14	1.05	2.65	2- 9
16	1.10	2.80	3- 1
10 x 10	.96	2.50	2- 0½ x 2- 1
12	1.01	2.55	2- 5
14	1.07	2.80	2- 9
16	1.10	3.05	3- 1
12 x 12	1.12	3.20	2- 4½ x 2- 5
14	1.12	3.20	2- 9
16	1.16	3.35	3- 1

For larger than listed sizes, see Rule 1.

Morse Sash**High Class
Mill Work****& Door Co.**

LISTED SIZES OF
Four Light Barn Sash
1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$1.01	\$2.05	1- 6 x 1-11
8 x 10	1.10	2.35	1- 8 x 2- 1
12	1.19	2.55	2- 5
14	1.26	2.70	2- 5
9 x 12	1.19	2.65	1-10 x 2- 5
14	1.26	2.85	2- 9
16	1.32	3.00	3- 1
10 x 10	1.15	2.70	2- 0 x 2- 1
12	1.21	2.75	2- 5
14	1.28	3.00	2- 9
16	1.32	3.25	3- 1
12 x 12	1.34	3.40	2- 4 x 2- 5
14	1.34	3.40	2- 9
16	1.39	3.55	3- 1

For larger than listed sizes, see Rule 1.

LISTED SIZES OF
Six Light Barn Sash
1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$1.03	\$2.55	2- 1 x 1-11
8 x 10	1.10	2.85	2- 4 x 2- 1
9 x 12	1.18	3.25	2- 7 x 2- 5
10 x 12	1.24	3.45	2-10 x 2- 5

LISTED SIZES OF
Six Light Barn Sash
1½ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$1.24	\$2.75	2- 1 x 1-11
8 x 10	1.32	3.05	2- 4 x 2- 1
9 x 12	1.42	3.50	2- 7 x 2- 5
10 x 12	1.49	3.70	2-10 x 2- 5

For larger than listed sizes, see Rule 11.

Morse Sash**High Class
Mill Work****& Door Co.**

LISTED SIZES OF
One Light Transoms
1 3/4 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
26 x 8	\$.73	\$1.80	2- 6 x 1- 0
10	.75	1.85	1- 2
12	.77	1.95	1- 4
14	.78	2.10	1- 6
16	.82	2.30	1- 8
28 x 8	.78	1.90	2- 8 x 1- 0
10	.80	1.95	1- 2
12	.82	2.10	1- 4
14	.84	2.30	1- 6
16	.86	2.45	1- 8
18	.89	2.60	1-10
20	.90	2.70	2- 0
30 x 10	.82	2.00	2-10 x 1- 2
12	.84	2.20	1- 4
14	.86	2.40	1- 6
16	.90	2.55	1- 8
18	.91	2.70	1-10
20	.93	2.85	2- 0
32 x 10	.85	2.10	3- 0 x 1- 2
12	.86	2.30	1- 4
14	.89	2.45	1- 6
16	.92	2.65	1- 8
18	.94	2.75	1-10
20	.95	3.05	2- 0

LISTED SIZES OF
Hot Bed Sash
1 3/4 Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
6	5	\$3.14	\$ 9.35	3- 0 x 6- 0
8	4	3.18	9.80	3- 2 x 6- 0
8	4	3.27	9.90	3- 4 x 6- 0
7	5	3.42	10.45	3- 6 x 6- 0
7	5	3.73	11.40	3- 6 x 7- 0
10	4	3.84	13.45	4- 0 x 7- 0

LISTED SIZES OF
Hot Bed Sash
1 3/4 Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
6	5	\$4.53	\$10.75	3- 0 x 6- 0
8	4	4.59	11.25	3- 2 x 6- 0
8	4	4.83	11.45	3- 4 x 6- 0
7	5	5.00	12.05	3- 6 x 6- 0
7	5	5.52	13.20	3- 6 x 7- 0
10	4	5.60	15.20	4- 0 x 7- 0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more. For less than 3 sash, a minimum charge of 25 cents will be made.

LISTED SIZES OF Cottage Windows and Sash Two Lights. 1½ Inches Thick.

Size of Glass		No. 14 Window 2 Lt. 1⅜ in. Check		No. 15 Sash 2 Lt. 1⅜ in.		Size of Opening
Bottom Lt.	Top Lt.	List Open	List Glazed D. S.	List Open	List Glazed D. S.	
36 x 36	36 x 16	\$2.76	\$12.95	\$2.40	\$12.60	3- 4 x 4-10
36 x 36	36 x 20	2.76	13.55	2.40	13.20	5- 2
40 x 36	40 x 16	2.76	13.70	2.40	13.35	3- 8 x 4-10
40 x 40	40 x 16	2.76	14.05	2.40	13.60	5- 2
40 x 44	40 x 16	2.85	15.75	2.46	15.30	5- 6
40 x 48	40 x 16	2.90	16.30	2.50	15.80	5-10
40 x 50	40 x 18	2.94	16.60	2.55	16.10	6- 2
40 x 36	40 x 20	2.76	14.45	2.40	14.10	5- 2
40 x 40	40 x 20	2.85	14.55	2.46	14.20	5- 6
40 x 44	40 x 20	2.90	15.40	2.50	15.00	5-10
42 x 40	42 x 16	2.81	16.05	2.44	15.55	3-10 x 5- 2
42 x 44	42 x 16	2.90	17.40	2.48	16.85	5- 6
42 x 48	42 x 16	2.94	17.45	2.54	16.95	5-10
42 x 48	42 x 20	2.98	18.20	2.59	17.70	6- 2
44 x 40	44 x 16	2.93	16.40	2.54	15.90	4- 0 x 5- 2
44 x 44	44 x 16	3.02	17.80	2.59	17.25	5- 6
44 x 46	44 x 18	3.06	18.30	2.64	17.80	5-10
44 x 50	44 x 18	3.11	21.50	2.70	21.00	6- 2
44 x 40	44 x 20	3.02	17.30	2.59	16.90	5- 6
44 x 44	44 x 20	3.06	18.65	2.64	18.25	5-10
48 x 40	48 x 16	3.03	18.10	2.61	17.60	4- 4 x 5- 2
48 x 42	48 x 18	3.06	18.95	2.67	18.45	5- 6
48 x 46	48 x 18	3.15	22.20	2.72	21.65	5-10
48 x 50	48 x 18	3.21	24.35	2.87	23.80	6- 2

For larger than listed sizes, see Rule 1.

LISTED SIZES OF One Light Cottage Front Sash 1 3/8 Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening
40 x 40	\$2.09	\$10.35	3- 8 x 3- 9
44	2.18	12.05	4- 1
48	2.23	12.60	4- 5
52	2.28	12.80	4- 9
56	2.33	17.45	5- 1
60	2.39	17.55	5- 5
64	2.44	18.65	5- 9
68	2.49	23.45	6- 1
44 x 40	2.21	12.10	4- 0 x 3- 9
44	2.30	13.50	4- 1
48	2.36	16.65	4- 5
52	2.42	18.80	4- 9
56	2.46	18.90	5- 1
60	2.51	23.10	5- 5
64	2.56	25.40	5- 9
68	2.62	27.65	6- 1
48 x 40	2.29	13.30	4- 4 x 3- 9
44	2.38	17.30	4- 1
48	2.42	19.45	4- 5
52	2.48	19.50	4- 9
56	2.54	23.75	5- 1
60	2.58	25.00	5- 5
64	2.63	28.30	5- 9
68	2.69	38.85	6- 1
50 x 40	2.32	14.00	4- 6 x 3- 9
44	2.42	18.00	4- 1
48	2.46	20.15	4- 5
52	2.51	21.45	4- 9
56	2.57	26.65	5- 1
60	2.62	26.70	5- 5
64	2.66	29.00	5- 9
68	2.72	39.00	6- 1
56 x 44	2.52	20.85	5- 0 x 4- 1
48	2.57	25.05	4- 5
52	2.63	27.35	4- 9
56	2.67	33.50	5- 1
60	2.72	40.15	5- 5
64	2.78	40.20	5- 9
68	2.83	43.45	6- 1

For larger than listed sizes, see Rule 11.

Circle and Segment Top Windows



FIG. 1
Circle inside and outside.
Radius, one-half width of sash.



FIG. 2
Circle outside, square inside.
Radius, one-half width of sash.
(Less width of one stile.)



FIG. 3
Segment inside and outside.
Radius, width of sash.



FIG. 4
Segment outside, square inside.
Radius, width of sash.
(Less width of one stile.)

For segment, circle or gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

Segment, Circle or Gothic Head Sash

SEGMENT HEADS

	1 $\frac{3}{8}$ thick up to 3 feet	1 $\frac{3}{8}$ thick up to 5 feet	1 $\frac{3}{4}$ thick up to 3 feet	1 $\frac{3}{4}$ thick up to 5 feet
For List Price				
Design No. 3 add.....	\$1.50	\$3.20	\$1.90	\$3.75
Design No. 4 add.....	1.50	3.20	1.90	3.75
Circle Head In and Out				
For List Price				
Design No. 1 add.....	4.80	8.00	5.75	9.00
Circle Head Outside, Square Inside				
For List Price				
Design No. 2 add.....	5.50	12.00	6.50	13.50
Gothic Head In and Out				
For List Price				
Design No. 50 add.....	4.80	8.00	5.75	9.00
Peak Head in and Out				
For List Price				
Design No. 52 add.....	2.25	4.50	2.75	5.25
For List Extra				
Design No. 51 add to list.....	7.80	12.00	9.25	13.50
For List Extra				
Design No. 53 add to list.....	4.05	6.30	5.00	7.50
For each light cut odd shape, of glazed, add list 10c.				

NOTE "A"—For segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to price of 5-foot width, 15%.

FULL CIRCLE SASH

NOTE "A"—For list price on Sash full circle in and out add double the list provided by rule for circle head in and out, Design No. 1.

NOTE "B"—For list price on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Design No. 2.

KITE SHAPED ELLIPTICAL OR EYEBROW SASH

For list price add to the Open list of a full circle sash of similar size 30%.

SASH EXTRAS

NOTE "A"—Unless otherwise specified, when a net extra or a list extra is provided, it will apply to either Open or Glazed list, and when a percentage of the list is provided, it applies to Open list only, and is to be applied before Glazing list is added.

NOTE "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "oddwork" discount, except when ordered in stock quantities of a size and kind.

LARGER SIZES

- RULE 1.—(a) For list on open windows wider than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional 2 inches or part thereof..... 15c list
- (b) For list on open windows longer than listed sizes, add to the open list for similar window of longest listed size of same width for each additional 4 inches or part thereof..... 15c list

WIDE STILES, RAILS OR BARS

RULE 2.—For list on open windows, or sash, with stiles, rails or bars wider than regular stock sizes, add as follows:

- (a) For stiles and top rails wider than 2 inches to glass rabbet, for each additional $\frac{1}{4}$ inch or part thereof, add of the open list to open or glazed list..... 10% list
- (b) For bottom rails wider than 3 inches to glass rabbet, for each additional $\frac{1}{2}$ inch or part thereof, add of open list to open or glazed list.. 5% list
- (c) For check rails thicker than $1\frac{3}{8}$ inch and not over $1\frac{3}{4}$ inches finished sizes, add of open list to open or glazed list..... 10% list
- (d) For bars or muntins wider than stock add of the open list for each additional $\frac{1}{4}$ inch or part thereof on each bar or muntin to the open or glazed list..... $1\frac{1}{2}\%$
- (For example, a 6-light sash when made 3-light wide would be figured as containing 3 bars or muntins.)

NOTE—For rabbeting rails, see Rule 20.

O. G. LUGS

- RULE 3.—For list on $1\frac{3}{8}$ -inch open or glazed windows with O. G. lugs add to open or glazed list for each sash with lugs..... 30c list

1 3/4 INCHES THICK

- RULE 9.—(a) For 1 3/4-inch windows or sash, open or glazed, add of the 1 3/8-inch open list to the 1 3/8-inch open or glazed list, unless otherwise provided for..... 40% list
- (b) For all extras for 1 3/4-inch windows or sash, unless otherwise provided for, add to extras for 1 3/8-inch sash..... 40% list

2 1/4 INCHES THICK

- RULE 10.—For 2 or 2 1/4-inch windows or sash, open or glazed, add of the 1 3/4-inch open list to the 1 3/4-inch open or glazed list..... 100% list

SINGLE SASH

- RULE 11.—(a) To make open Sash list on 1 3/8 1-light Transom, Cellar or other single sash not otherwise provided for in this list figure the united inches, width and length, added of the entire glass measurement not over 100 united inches at per inch..... 2 1/2c
- (b) No sash to be figured as less than..... \$1.00 list
- (c) For more than 1 light in the above as per Rule 4.

CASEMENT SASH

- RULE 12.—For casement sash, figure each sash as per Rule 11. If rabbeted, see Rule 20.

STORE SASH

- RULE 13.—(a) Store sash with stiles and top rail 3 inches to Glass line, and bottom rail 4 inches to glass line, 1 3/8 inches thick, per lineal foot around the opening, list..... 1 3/8 1 3/4
25c 35c
- (b) Bars for 1 3/8-inch sash not over 1 inch between glass, per lineal foot, list..... 15c 20c
- (c) For wider stiles, rails, etc., see Rule 2.
- (d) For glass beads or stops, see Rule 15.
- (e) For panels under store sash, see Rule 14.

PANELS FOR STORE FRONTS

- RULE 14.—(a) Panels for store front, solid stuck, 1 3/8 inches thick, per square foot, 60c list, subject to Door Discount.
- (b) Panels for store front, solid stuck, 1 3/4 inches thick, per square foot, 85c list, subject to Door Discount.

STOPS AND BEADS

RULE 15.—For stock size and pattern stops or beads around square glass in Sash or Windows not over $1\frac{3}{4}$ inches thick, add for beads around each light:

- (b) For $1\frac{3}{8}$ -inch storm sash add of the $1\frac{1}{8}$ -inch open storm sash list to the open or glazed list.... 20%

RABBETING

- RULE 20.—(a) For rabbeting outside edge of rails, or stiles of windows or sash, add to the list for each edge rabbeted (except as below)..... 15c list
- (b) For rabbeting standard size check rails of windows, per window..... 25c list
- (c) For rabbeting in pairs center stiles of casement or cupboard sash, per pair..... 30c list
- (d) For rabbeting sash for plate or other thick glass, add for each sash so rabbeted..... 5c list

NOTE—The minimum charge under Rule 20 for any one order will be..... 15c net

WATER DRIPS

RULE 21.—Grooving bottom rail and furnishing stock pattern water drip for same, loose:

- (a) 3 feet and under in length, add..... 75c list
- (b) Over 3 feet, up to 5 feet, add..... \$1.25 list

Morse Sash High Class Mill Work & Door Co.

LISTED SIZES OF Four Panel O G Doors No. 200

Size of Door	Thickness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
2- 0 x 6- 0	$\frac{3}{4}$	\$4.65	\$4.20	\$3.50
2- 4 x 6- 4	$\frac{3}{4}$	5.05	4.60	...
2- 0 x 6- 6	$\frac{3}{4}$	5.05	4.60	...
2- 6 x 6- 6	$\frac{3}{4}$	5.35	4.85	3.90
2- 8 x 6- 8	$\frac{3}{4}$	5.45	5.00	4.15
2- 0 x 6- 0	$1\frac{1}{8}$	5.15	4.65	3.85
2- 2 x 6- 0	$1\frac{1}{8}$	5.90	5.35	...
2- 6 x 6- 0	$1\frac{1}{8}$	5.90	5.35	...
2- 8 x 6- 0	$1\frac{1}{8}$	6.05	5.50	...
3- 0 x 6- 0	$1\frac{1}{8}$	7.15	6.45	...
2- 4 x 6- 4	$1\frac{1}{8}$	5.55	5.05	...
2- 0 x 6- 6	$1\frac{1}{8}$	5.60	5.10	...
2- 2 x 6- 6	$1\frac{1}{8}$	5.90	5.35	...
2- 4 x 6- 6	$1\frac{1}{8}$	5.90	5.35	...
2- 6 x 6- 6	$1\frac{1}{8}$	5.90	5.35	4.30
2- 0 x 6- 8	$1\frac{1}{8}$	6.00	5.45	...
2- 4 x 6- 8	$1\frac{1}{8}$	6.00	5.45	...
2- 6 x 6- 8	$1\frac{1}{8}$	6.00	5.45	...
2- 8 x 6- 8	$1\frac{1}{8}$	6.05	5.50	4.60
2-10 x 6-10	$1\frac{1}{8}$	7.65	6.90	5.35
2- 6 x 7- 0	$1\frac{1}{8}$	7.60	6.85	...
3- 0 x 7- 0	$1\frac{1}{8}$	8.15	7.30	5.70
2- 0 x 6- 0	$1\frac{3}{8}$	5.70	5.15	4.20
2- 4 x 6- 0	$1\frac{3}{8}$	6.50	5.90	...
2- 6 x 6- 0	$1\frac{3}{8}$	6.50	5.90	...
2- 8 x 6- 0	$1\frac{3}{8}$	6.70	6.05	...
3- 0 x 6- 0	$1\frac{3}{8}$	7.90	7.15	...
2- 4 x 6- 4	$1\frac{3}{8}$	6.10	5.55	...
2- 6 x 6- 4	$1\frac{3}{8}$	6.50	5.90	...
2- 8 x 6- 4	$1\frac{3}{8}$	6.70	6.05	...
3- 0 x 6- 4	$1\frac{3}{8}$	8.50	7.70	...
2- 0 x 6- 6	$1\frac{3}{8}$	6.15	5.60	...
2- 2 x 6- 6	$1\frac{3}{8}$	6.30	5.70	...
2- 4 x 6- 6	$1\frac{3}{8}$	6.30	5.70	...
2- 6 x 6- 6	$1\frac{3}{8}$	6.50	5.90	4.75
2- 8 x 6- 6	$1\frac{3}{8}$	6.70	6.05	...
2-10 x 6- 6	$1\frac{3}{8}$	8.00	7.25	...
3- 0 x 6- 6	$1\frac{3}{8}$	8.50	7.70	...
2- 0 x 6- 8	$1\frac{3}{8}$	6.25	5.65	...
2- 2 x 6- 8	$1\frac{3}{8}$	6.40	5.80	...
2- 4 x 6- 8	$1\frac{3}{8}$	6.40	5.80	...
2- 6 x 6- 8	$1\frac{3}{8}$	6.65	6.00	...

LISTED SIZES OF
Four Panel O G Doors
No. 200

Size of Door	Thickness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
2- 8 x 6- 8	1 $\frac{3}{8}$	\$6.70	\$6.05	\$5.05
2-10 x 6- 8	1 $\frac{3}{8}$	8.00	7.25	...
3- 0 x 6- 8	1 $\frac{3}{8}$	8.50	7.70	...
2- 0 x 6-10	1 $\frac{3}{8}$	7.40	6.70	...
2- 2 x 6-10	1 $\frac{3}{8}$	7.60	6.85	...
2- 4 x 6-10	1 $\frac{3}{8}$	7.60	6.85	...
2- 6 x 6-10	1 $\frac{3}{8}$	7.65	6.90	...
2- 8 x 6-10	1 $\frac{3}{8}$	7.65	6.90	...
2-10 x 6-10	1 $\frac{3}{8}$	8.00	7.25	5.90
3- 0 x 6-10	1 $\frac{3}{8}$	8.50	7.70	...
2- 0 x 7- 0	1 $\frac{3}{8}$	7.55	6.85	...
2- 2 x 7- 0	1 $\frac{3}{8}$	7.65	6.90	...
2- 4 x 7- 0	1 $\frac{3}{8}$	7.65	6.90	...
2- 6 x 7- 0	1 $\frac{3}{8}$	7.70	6.95	...
2- 8 x 7- 0	1 $\frac{3}{8}$	7.90	7.15	...
2-10 x 7- 0	1 $\frac{3}{8}$	8.15	7.35	...
3- 0 x 7- 0	1 $\frac{3}{8}$	8.50	7.70	6.30
2- 6 x 7- 6	1 $\frac{3}{8}$	9.45	8.55	...
2- 8 x 7- 6	1 $\frac{3}{8}$	9.90	8.95	...
2-10 x 7- 6	1 $\frac{3}{8}$	10.40	9.40	...
3- 0 x 7- 6	1 $\frac{3}{8}$	10.85	9.80	...
2- 6 x 8- 0	1 $\frac{3}{8}$	10.80	9.75	...
2- 8 x 8- 0	1 $\frac{3}{8}$	11.25	10.15	...
3- 0 x 8- 0	1 $\frac{3}{8}$	12.30	11.10	...
2- 6 x 6- 6	1 $\frac{3}{4}$	9.60	8.65	...
2- 8 x 6- 8	1 $\frac{3}{4}$	9.90	8.95	...
2-10 x 6-10	1 $\frac{3}{4}$	11.85	10.70	...
2- 6 x 7- 0	1 $\frac{3}{4}$	11.40	10.30	...
2- 8 x 7- 0	1 $\frac{3}{4}$	11.70	10.55	...
2-10 x 7- 0	1 $\frac{3}{4}$	12.10	10.90	...
3- 0 x 7- 0	1 $\frac{3}{4}$	12.60	11.40	...
2- 6 x 7- 6	1 $\frac{3}{4}$	14.05	12.70	...
2- 8 x 7- 6	1 $\frac{3}{4}$	14.70	13.25	...
2-10 x 7- 6	1 $\frac{3}{4}$	15.45	13.95	...
3- 0 x 7- 6	1 $\frac{3}{4}$	16.15	14.55	...
2- 6 x 8- 0	1 $\frac{3}{4}$	16.05	14.50	...
2- 8 x 8- 0	1 $\frac{3}{4}$	16.75	15.10	...
3- 0 x 8- 0	1 $\frac{3}{4}$	18.30	16.50	...
3- 0 x 8- 6	1 $\frac{3}{4}$	21.50	19.40	...
3- 0 x 9- 0	1 $\frac{3}{4}$	23.70	21.35	...

For irregular or intermediate sizes, see Note B.

For larger than listed sizes, see Rule 1.

Morse Sash

High Class Mill Work

& Door Co.

LISTED SIZES OF Five Cross Panel O G Doors No. 202½

Size of Door	List ¾-in. No. 1 Quality	List 1½-in. No. 1 Quality
2- 0 x 6- 0	\$4.95	\$5.45
2- 0 x 6- 6		5.90

Size of Door	List 1⅝-in. No. 1 Quality	List 1⅞-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
2- 0 x 6- 0	\$6.00	\$5.45		
2- 2 x 6- 0	6.80	6.20		
2- 4 x 6- 0	6.80	6.20		
2- 6 x 6- 0	6.80	6.20		
2- 8 x 6- 0	7.00	6.35		
2-10 x 6- 0	8.20	7.45		
3- 0 x 6- 0	8.20	7.45		
2- 0 x 6- 4	6.70	6.10		
2- 2 x 6- 4	6.70	6.10		
2- 4 x 6- 4	6.70	6.10		
2- 6 x 6- 4	6.80	6.20		
2- 8 x 6- 4	7.00	6.35		
3- 0 x 6- 4	8.80	8.00		
2- 0 x 6- 6	6.70	6.10		
2- 2 x 6- 6	6.70	6.10		
2- 4 x 6- 6	6.70	6.10		
2- 6 x 6- 6	6.80	6.20	\$9.90	\$8.95
2- 8 x 6- 6	7.00	6.35		
2-10 x 6- 6	8.30	7.55		
3- 0 x 6- 6	8.80	8.00		
2- 0 x 6- 8	6.85	6.25		
2- 2 x 6- 8	6.85	6.25		
2- 4 x 6- 8	6.85	6.25		
2- 6 x 6- 8	6.95	6.30	10.15	
2- 8 x 6- 8	7.00	6.35	10.20	9.25
2-10 x 6- 8	8.30	7.55		
3- 0 x 6- 8	8.80	8.00		
4- 0 x 6- 8	13.20		19.35	
4- 6 x 6- 8	15.40		22.60	
5- 0 x 6- 8	17.60		25.80	
2- 0 x 6-10	7.90	7.15		
2- 2 x 6-10	7.90	7.15		
2- 4 x 6-10	7.90	7.15		

LISTED SIZES OF
Five Cross Panel Doors, B. & C.

No. 202¾ Raised Panels Both Sides

Size of Door	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
2- 0 x 6- 0	\$6.20	\$5.65		
2- 4 x 6- 0	7.00	6.40		
2- 6 x 6- 0	7.00	6.40		
2- 4 x 6- 4	6.90	6.30		
2- 0 x 6- 6	6.90	6.30		
2- 2 x 6- 6	6.90	6.30		
2- 4 x 6- 6	6.90	6.30		
2- 6 x 6- 6	7.00	6.40	\$10.10	\$9.15
2- 8 x 6- 6	7.20	6.55		
2- 0 x 6- 8	7.05	6.45		
2- 2 x 6- 8	7.05	6.45		
2- 4 x 6- 8	7.05	6.45		
2- 6 x 6- 8	7.15	6.50		
2- 8 x 6- 8	7.20	6.55	10.40	9.45
3- 0 x 6- 8	9.00	8.20		
2- 0 x 6-10	8.10	7.35		
2- 2 x 6-10	8.10	7.35		
2- 4 x 6-10	8.10	7.35		
2- 6 x 6-10	8.15	7.40		
2- 8 x 6-10	8.15	7.40		
2-10 x 6-10	8.50	7.75	12.35	11.20
2- 0 x 7- 0	8.15	7.40		
2- 2 x 7- 0	8.15	7.40		
2- 4 x 7- 0	8.15	7.40		
2- 6 x 7- 0	8.20	7.45	11.90	10.80
2- 8 x 7- 0	8.40	7.65	12.20	11.05
2-10 x 7- 0	8.65	7.85	12.60	11.40
3- 0 x 7- 0	9.00	8.20	13.10	11.90
2- 6 x 7- 6	9.95	9.05	14.55	13.20
2- 8 x 7- 6	10.40	9.45	15.20	13.75
2-10 x 7- 6	10.90	9.90	15.95	14.45
3- 0 x 7- 6	11.35	10.30	16.65	15.05
2- 6 x 8- 0	11.30	10.25	16.55	15.00
2- 8 x 8- 0	11.75	10.65	17.25	15.60
3- 0 x 8- 0	12.80	11.60	18.80	17.00

For irregular or intermediate sizes, see Note "B."

For larger than listed sizes, see Rule 1.

For five cross panel 1½-inch doors when ordered in stock quantities, use list for 1½-inch four-panel door, same size, and add 80c. For same in less than stock quantities, use 1¾-inch five cross panel list for same size. For No. 201½ bead and cove door, three cross and two upright panels, use five cross panel bead and cove list for same size.

LISTED SIZES OF

No. 4 Quality O G Doors

$\frac{3}{4}$, $1\frac{1}{8}$ and $1\frac{3}{8}$ Inches Thick

Size of Door	Thickness	List 4-Panel No. 4 Quality	List 4-Panel Painted	List 5-Panel No. 4 Quality	List 5-Panel Painted
2- 0 x 6- 0	$\frac{3}{4}$	\$2.35	\$3.00		
2- 6 x 6- 6	$\frac{3}{4}$	2.60	3.25		
2- 8 x 6- 8	$\frac{3}{4}$	2.75	3.40		
Above doors have bevel raised panels, one side only.					
2- 0 x 6- 0	$1\frac{1}{8}$	2.60	3.25	\$2.80	\$3.45
2- 2 x 6- 6	$1\frac{1}{8}$	2.90	3.55	3.10	3.75
2- 4 x 6- 6	$1\frac{1}{8}$	2.90	3.55	3.10	3.75
2- 6 x 6- 6	$1\frac{1}{8}$	2.90	3.55	3.10	3.75
2- 6 x 6- 8	$1\frac{1}{8}$	3.05	3.70	3.25	3.90
2- 8 x 6- 8	$1\frac{1}{8}$	3.05	3.70	3.25	3.90
2-10 x 6-10	$1\frac{1}{8}$	3.55	4.20	3.75	4.40
3- 0 x 7- 0	$1\frac{1}{8}$	3.70	4.35	3.90	4.55
2- 0 x 6- 0	$1\frac{3}{8}$	2.85	3.50	3.05	3.70
2- 6 x 6- 6	$1\frac{3}{8}$	3.20	3.85	3.40	4.05
2- 6 x 6- 8	$1\frac{3}{8}$	3.40	4.05	3.60	4.25
2- 8 x 6- 8	$1\frac{3}{8}$	3.40	4.05	3.60	4.25
2-10 x 6-10	$1\frac{3}{8}$	3.95	4.60	4.15	4.80
3- 0 x 7- 0	$1\frac{3}{8}$	4.10	4.75	4.30	4.95

No. 4 Quality O G Sash Doors

$1\frac{1}{8}$ Inches Thick

No. 210. Four light O G Door

Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
2- 6 x 6- 6	\$3.55	\$4.20	\$6.15
2- 8 x 6- 8	3.75	4.40	6.65
2-10 x 6-10	4.30	4.95	7.45
3- 0 x 7- 0	4.45	5.10	8.05

No. 212. One light O G Door

2- 6 x 6- 6	3.40	4.05	7.35
2- 8 x 6- 8	3.60	4.25	8.35
2-10 x 6-10	4.15	4.80	9.45
3- 0 x 7- 0	4.30	4.95	11.05

No. 211. Two light O G Door

2- 6 x 6- 6	3.55	4.20	6.35
2- 8 x 6- 8	3.75	4.40	7.15
2-10 x 6-10	4.30	4.95	7.85
3- 0 x 7- 0	4.45	5.10	8.85

No. 212½. Three panel, one light O G Door

2- 6 x 6- 6	3.60	4.25	7.20
2- 8 x 6- 8	3.80	4.45	7.80
2-10 x 6-10	4.35	5.00	9.10
3- 0 x 7- 0	4.50	5.15	9.80

For grained doors, add 20c net.

For No. 213 door, No. 4 quality or painted, add to list of No. 211 door, open or glazed, \$1.25.

For irregular or intermediate sizes, see Note "B."

For larger than listed sizes, see Rule 1.

DOOR EXTRAS

NOTE "A"—When the term "Stock Quantities" is used in these rules it means 10 or more of one size, style and quality.

NOTE "B"—For irregular or intermediate sizes, in stock quantities, use same list as next larger listed size. For less than stock quantities on sizes not listed, an extra 10% will be charged.

LARGER THAN LISTED

- RULE 1.—(a) For list on doors wider than listed sizes, use the list of a 3 foot door, same height, and add for each additional 6 inches or part thereof..... 25% list
- (b) For list on doors longer than listed sizes, use the list of the longest similar door of same width, and add for each additional 6 inches or part thereof 15% list
- (c) For single doors made to represent a pair, add..... \$2.50 list

THICK DOORS

- RULE 2.—(a) For $1\frac{3}{4}$ inch doors, not otherwise provided for, add of the $1\frac{3}{8}$ inch four panel door list for same size 50% list
- (b) For list on 2 or $2\frac{1}{4}$ inch doors (single or double thick) form list for a similar $1\frac{3}{4}$ inch door and add 50% list
- (c) For list on $2\frac{1}{2}$ inch door (single or double thick) form list for a similar $1\frac{3}{4}$ inch door and add.. 70% list
- (d) For list extras on doors thicker than $1\frac{3}{8}$ inches, where extras are specified as applying to $1\frac{3}{8}$ inch doors, add for the different thicknesses same percentage as above.

WIDE STILES, RAILS OR MUNTZ

- RULE 3.—(a) For $1\frac{3}{8}$ inch doors with stiles and top rails wider than $4\frac{3}{4}$ inches (including solid mould) add for each additional 1 inch or part thereof..... 75c list
- (b) For $1\frac{3}{8}$ inch doors with cross rails (other than top, lock or bottom rails) wider than $4\frac{3}{4}$ inches (including solid mould), add for each wide rail for each additional 1 inch or part thereof.. 15c list
- (c) For $1\frac{3}{8}$ inch doors with lock or bottom rails wider than $8\frac{5}{8}$ or $9\frac{3}{4}$ inches respectively (including solid mould), add for each wide rail for each additional 1 inch or part thereof..... 25c list
- (d) Sliding doors having one stile wider than regular, add per door $\frac{5}{8}$ price in Note "A."

Door Extras—Continued

PANELS

RULE 4.—Arrangement of panels.

Doors No. 200 and 201, over 3-0 and not wider than 4-0,
3 panels wide.

Doors No. 200 and 201, over 4-0 and not wider than 4-10,
3 or 4 panels wide.

Doors No. 200 and 201, over 4-10 and not wider than 6-0,
4 or 5 panels wide.

Doors No. 200 and 201, over 6-0 and not wider than 7-0,
5 or 6 panels wide.

Cross panel doors up to and including 7-4, 5 panels high.

Cross panel doors 7-6 and not higher than 8-6, 6 or 7 panels high.

Cross panel doors 8-8 and not higher than 10-0, 7 or 8 panels high.

For a less number of panels (making wider panels), special price
will be charged.

ADDITIONAL PANELS

NOTE "B"—For more panels than provided for in the
lists, add for each additional panel..... 30c list

CROSS PANELS

NOTE "C"—For doors having two or more cross panels
not covered or otherwise provided for, add to
their respective list for crossing panels..... 30c list

GRADUATED PANELS

NOTE "D"—For graduated panels, add for each panel.. 30c list

MOULDED PANELS

RULE 5.—Doors with moulded panels, add to the list of similar 1 $\frac{3}{8}$ or 1 $\frac{3}{4}$ -inch O. G. door as follows:

Flush moulded 1 side, per panel..... 40c list

Flush moulded 2 side, per panel..... 65c list

Raised mould 1 side, per panel..... 80c list

Raised mould 2 side, per panel..... \$1.30 list

DIFFERENT STYLES OF DOORS

RULE 6.—(a) (One Panel) For one panel doors, special price.

(b) (Two Panel) For two panel doors, 1 wide, 2 high,
special price.

(c) (Two Panel) For two panel doors, 2 wide, 1 high,
use 4 panel list and add..... 15% list

(d) (Three Panel) For three panel doors, special price.

(e) For four cross panel doors, special price.

Door Extras—Continued

SASH DOORS

RULE 7.—(a) For sash doors not listed add to the list of a similar panel door of the same size:

If 1 light No. 4 quality, 20c list—No. 1 and 2 quality	25c list
If 2 light No. 4 quality, 40c list—No. 1 and 2 quality	50c list
If 4 light No. 4 quality, 40c list—No. 1 and 2 quality	50c list

- (b) For sash doors with marginal or divided lights, add to the list of a similar 1 light door for each light, the same amount as provided in Rule 4, sash extras.
- (c) For list on solid mould doors, 3 feet wide or less, segment head or segment corner glass, add to list for a similar 1-light door with square glass \$1.50 list
- (d) For list on solid mould doors, 3 feet wide or less, half circle or gothic glass, add to list for a similar 1-light door with square glass..... 6.00 list
- (e) For list on solid mould doors, 3 feet wide or less, with gothic 2-light glass, add to list for a similar 2-light door with square glass..... 2.80 list
- (f) For raised mould sash or panel doors, 3 feet wide or less, with circle top glass or panels, add to proper list for each side moulded..... 2.50 list
- (g) For doors glazed with enameled, chipped or colored glass (any color except ruby), add to glazed list for each square foot of glass measure 40c per ft.
If ruby add..... 70c per ft.

GLASS BEADS

RULE 8.—For beads or stops around glass in a door with one or more square lights, add to the proper list for such door for beads around each light of

16 united inches or less	18c list
17 to 28 united inches.....	25c list
29 to 40 united inches.....	30c list
41 to 52 united inches.....	40c list
53 to 64 united inches.....	45c list
65 to 76 united inches.....	55c list
77 to 88 united inches.....	70c list
89 to 100 united inches.....	85c list

STICKING

RULE 9.—For P. G., Ovolo, B. & C. or C. & B. sticking, not covered in lists, add to list of a similar O. G. door 20c list

Door Extras—Continued

DUTCH DOORS

- RULE 10.—For Dutch doors or doors made to cut through lock rail,
add to list of a similar door of same size..... \$1.50 list
For same, cut and rabbeted..... 2.50 list

OIL FINISH AA

- RULE 11.—(a) For AA selected stock doors for oil finish (machine
smoothed) add to proper list for No. 1 door... 80c list

OIL FINISH AAA

- (b) For AAA doors, 3- 0 x 9- 0 and under, free from
sap and knots (machine smoothed), for oil
finish, add to proper list for No. 1 door..... \$2.00 list
(c) For AAA doors, 3- 0 x 9- 0 and under, free from
sap and knots (hand smoothed), for oil finish,
add to proper list for No. 1 door..... 3.00 list

BANDING

- RULE 12.—For banding sliding doors, two sides, add to proper
price for such doors for each lineal foot,
measured around the opening of each door... 5c net

RABBETING

- RULE 13.—For rabbeting and beading folding doors, made extra
wide for rabbeting, add to proper price for
such door, per pair..... 50c net

ASTRAGALS

- RULE 14.—(a) For single astragals for folding doors not over
eight feet high, add:
If doors are $1\frac{3}{4}$ inch thick or less..... 30c net
If doors are $2\frac{1}{4}$ or $2\frac{1}{2}$ inches thick..... 80c net
(b) For double astragal for sliding doors not over
eight feet high, add:
If doors are $1\frac{3}{4}$ inch thick or less..... 60c net
If doors are $2\frac{1}{4}$ or $2\frac{1}{2}$ inches or less..... \$1.25 net
(c) For lengths over eight feet add for each additional
2 feet or part thereof..... 20%
(d) For astragal joint on stiles, add:
If doors are $1\frac{3}{4}$ inch thick or less..... 50c net
If doors are $2\frac{1}{4}$ or $2\frac{1}{2}$ inches thick..... 75c net

Approximate Weights of O. G. Four Panel Doors

Size ft. in. ft. in.		Thickness			
		$\frac{3}{4}$ inch lbs.	$1\frac{1}{8}$ inch lbs.	$1\frac{3}{8}$ inch lbs.	$1\frac{3}{4}$ inch lbs.
2- 0 x 6- 0		17	23	28	..
2- 4 x 6- 4		21	27	31	..
2- 6 x 6- 6		23	30	35	42
2- 8 x 6- 8		25	32	37	46
2-10 x 6-10			35	40	52
3- 0 x 7- 0			38	45	55
3- 0 x 7- 6				50	60
3- 0 x 8- 0				55	65

For Moulded Doors add 5 pounds to each side moulded.

Weight of Mouldings.—1 x 1 inch, per 100 lineal feet, fifteen pounds.

Approximate Weights of Windows

Size of Window in. in.	No. of lights	Thickness in	Open lbs.	Glazed S. S. lbs.	Glazed D. S. lbs.
12 x 20	2	$1\frac{3}{8}$	6	11	..
	2	$1\frac{3}{8}$	6	12	..
	2	$1\frac{3}{8}$	$6\frac{1}{2}$	13	..
	2	$1\frac{3}{8}$	7	13	..
	2	$1\frac{3}{8}$	7	13	..
	2	$1\frac{3}{8}$	8	14	..
	2	$1\frac{3}{8}$	8	15	..
	2	$1\frac{3}{8}$	9	16	..
	2	$1\frac{3}{8}$	9	17	..
	2	$1\frac{3}{8}$	$6\frac{1}{2}$	12	..
14 x 20	2	$1\frac{3}{8}$	7	12	..
	2	$1\frac{3}{8}$	8	13	..
	2	$1\frac{3}{8}$	8	14	..
	2	$1\frac{3}{8}$	9	16	..
	2	$1\frac{3}{8}$	10	17	..
	2	$1\frac{3}{8}$	10	18	..
	2	$1\frac{3}{8}$	10	19	..
	2	$1\frac{3}{8}$	11	20	..
	2	$1\frac{3}{8}$	7	12	14
	2	$1\frac{3}{8}$	7	13	15
16 x 20	2	$1\frac{3}{8}$	$7\frac{1}{2}$	14	16
	2	$1\frac{3}{8}$	8	15	17
	2	$1\frac{3}{8}$	8	16	18
	2	$1\frac{3}{8}$	$8\frac{1}{2}$	17	19
	2	$1\frac{3}{8}$	9	18	20
	2	$1\frac{3}{8}$	$9\frac{1}{2}$	20	22
	2	$1\frac{3}{8}$	10	21	23
	2	$1\frac{3}{8}$	7	13	15
	2	$1\frac{3}{8}$	$7\frac{1}{2}$	14	16
	2	$1\frac{3}{8}$	8	16	18
18 x 20	2	$1\frac{3}{8}$	8	17	19
	2	$1\frac{3}{8}$	$8\frac{1}{2}$	18	20
	2	$1\frac{3}{8}$	9	19	21
	2	$1\frac{3}{8}$	$9\frac{1}{2}$	20	22
	2	$1\frac{3}{8}$	10	21	24
	2	$1\frac{3}{8}$	7	13	15
	2	$1\frac{3}{8}$	$7\frac{1}{2}$	14	16
	2	$1\frac{3}{8}$	8	16	18

Approximate Weights of Windows—Continued

Size of Window in. in.	No. of lights	Thickness in.	Open lbs.	Glazed S. S. lbs.	Glazed D. S. lbs.
18 x 36	2	1 $\frac{3}{8}$	10	23	25
38	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	24	26
40	2	1 $\frac{3}{8}$	11	25	28
20 x 20	2	1 $\frac{3}{8}$	7 $\frac{1}{2}$	15	17
22	2	1 $\frac{3}{8}$	8	16	18
24	2	1 $\frac{3}{8}$	8	17	19
26	2	1 $\frac{3}{8}$	8 $\frac{1}{2}$	19	21
28	2	1 $\frac{3}{8}$	9	21	23
30	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	22	24
32	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	23	25
34	2	1 $\frac{3}{8}$	10	24	26
36	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	25	27
38	2	1 $\frac{3}{8}$	11	26	28
40	2	1 $\frac{3}{8}$	11 $\frac{1}{2}$	27	29
22 x 24	2	1 $\frac{3}{8}$	8 $\frac{1}{2}$	19	21
26	2	1 $\frac{3}{8}$	9	20	22
28	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	21	23
30	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	22	24
32	2	1 $\frac{3}{8}$	10	24	26
34	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	25	27
36	2	1 $\frac{3}{8}$	11	26	28
38	2	1 $\frac{3}{8}$	11	28	30
40	2	1 $\frac{3}{8}$	12	29	31
42	2	1 $\frac{3}{8}$	12	31	33
44	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$	32	34
46	2	1 $\frac{3}{8}$	13	34	36
48	2	1 $\frac{3}{8}$	13	35	38
24 x 24	2	1 $\frac{3}{8}$	9	20	22
26	2	1 $\frac{3}{8}$	9	21	23
28	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	23	25
30	2	1 $\frac{3}{8}$	10	25	27
32	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	26	28
34	2	1 $\frac{3}{8}$	11	27	30
36	2	1 $\frac{3}{8}$	11	28	32
38	2	1 $\frac{3}{8}$	11 $\frac{1}{2}$	30	33
40	2	1 $\frac{3}{8}$	12	31	34
42	2	1 $\frac{3}{8}$	12	33	35
44	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$	34	36
46	2	1 $\frac{3}{8}$	13	35	38
48	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$	36	39
26 x 26	2	1 $\frac{3}{8}$	9 $\frac{1}{2}$	23	25
28	2	1 $\frac{3}{8}$	10	24	27
30	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	26	29
32	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	27	30
34	2	1 $\frac{3}{8}$	11	29	32
36	2	1 $\frac{3}{8}$	11 $\frac{1}{2}$	31	34
38	2	1 $\frac{3}{8}$	12	32	35
40	2	1 $\frac{3}{8}$	12	34	36
42	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$	35	38
44	2	1 $\frac{3}{8}$	13	36	39
46	2	1 $\frac{3}{8}$	13	37	40
48	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$	38	42

Approximate Weights of Windows—*Continued.*

Size of Window in. in.	No. of lights	Thickness in.	Open lbs.	Glazed S. S. lbs.	Glazed D. S. lbs.
28 x 28	2	1 $\frac{3}{8}$	10	25	28
30	2	1 $\frac{3}{8}$	10 $\frac{1}{2}$	27	30
32	2	1 $\frac{3}{8}$	11	29	31
34	2	1 $\frac{3}{8}$	11 $\frac{1}{2}$	31	33
36	2	1 $\frac{3}{8}$	12	32	35
38	2	1 $\frac{3}{8}$	12	33	36
40	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$	33	37
42	2	1 $\frac{3}{8}$	13		39
44	2	1 $\frac{3}{8}$	13		41
46	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$		43
48	2	1 $\frac{3}{8}$	14		44
30 x 30	2	1 $\frac{3}{8}$	11	29	32
32	2	1 $\frac{3}{8}$	11 $\frac{1}{2}$	31	34
34	2	1 $\frac{3}{8}$	12	33	36
36	2	1 $\frac{3}{8}$	12	35	38
38	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$	36	39
40	2	1 $\frac{3}{8}$	13	37	40
42	2	1 $\frac{3}{8}$	13		41
44	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$		43
46	2	1 $\frac{3}{8}$	14		45
48	2	1 $\frac{3}{8}$	14 $\frac{1}{2}$		46
32 x 32	2	1 $\frac{3}{8}$	12		35
34	2	1 $\frac{3}{8}$	12		37
36	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$		39
38	2	1 $\frac{3}{8}$	13		41
40	2	1 $\frac{3}{8}$	13		42
42	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$		44
44	2	1 $\frac{3}{8}$	14		46
46	2	1 $\frac{3}{8}$	14 $\frac{1}{2}$		47
48	2	1 $\frac{3}{8}$	15		48
34 x 34	2	1 $\frac{3}{8}$	12 $\frac{1}{2}$		38
36	2	1 $\frac{3}{8}$	13		40
38	2	1 $\frac{3}{8}$	13		42
40	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$		44
42	2	1 $\frac{3}{8}$	14		46
44	2	1 $\frac{3}{8}$	14		47
46	2	1 $\frac{3}{8}$	14 $\frac{1}{2}$		49
48	2	1 $\frac{3}{8}$	15		51
36 x 36	2	1 $\frac{3}{8}$	13		41
38	2	1 $\frac{3}{8}$	13 $\frac{1}{2}$		43
40	2	1 $\frac{3}{8}$	14		46
42	2	1 $\frac{3}{8}$	14		48
44	2	1 $\frac{3}{8}$	14 $\frac{1}{2}$		50
46	2	1 $\frac{3}{8}$	15		51
48	2	1 $\frac{3}{8}$	15 $\frac{1}{2}$		53
40 x 40	2	1 $\frac{3}{8}$	14 $\frac{1}{2}$		49
42	2	1 $\frac{3}{8}$	15		51
44	2	1 $\frac{3}{8}$	15		53

INDEX

BALUSTERS

	PAGE
Stair	36
Porch	39

BULL NOSE TREADS AND RISERS.....	36
----------------------------------	----

COLUMNS

Porch	38
Colonial	39
Interior	44

DOORS

Broom Closet.....	43
Frames	45-47
Fir	31
Garage	25
Ice Box.....	43
Milk	43
Panel Veneered.....	26-30
Pantry	42
Pine Lists.....	103-111
Pine Front.....	22-23-24
Veneered Front.....	5-20
Weights of.....	112

DRESSER DRAWERS.....	41
----------------------	----

FLOUR BINS.....	43
-----------------	----

FRAMES

Door	45
Window	45-47

INTERIOR COLUMNS AND PEDESTALS.....	44
-------------------------------------	----

MOULDINGS

Interior	49-57
Exterior	58-63
Interior Lists.....	64
Exterior Lists.....	65

MEDICINE CABINETS.....	41
------------------------	----

Morse Sash & Door Co.

High Class
Mill Work

Index—Continued

NEWELS

Interior Stair.....	PAGE 33-35
Porch	38

PANTRY SASH.....	42
------------------	----

PANTRY DOORS.....	42
-------------------	----

RAIL

Porch	40
Stair	37

STAIR

Treads	36
Balusters	36
Rail	37

WINDOWS

Cut Up.....	66-68
Lists	77-102
Weights of.....	112-114



